

ALKALI METALS

- Sodium reacts with water more vigorously than lithium because**
 - 1) it has higher atomic mass
 - 2) it is more electropositive
 - 3) it is more electronegative
 - 4) it is a metal
- On heating sodium carbonate... is evolved**
 - 1) CO_2
 - 2) CO
 - 3) H_2O
 - 4) No gas
- Sodium carbonate can be manufactured by Solvay's process but potassium carbonate cannot be prepared because**
 - 1) K_2CO_3 is more soluble
 - 2) K_2CO_3 is less soluble
 - 3) $KHCO_3$ is more soluble than $NaHCO_3$
 - 4) is less soluble than $NaHCO_3$
- Zinc reacts with excess of caustic soda to form**
 - 1) $Zn(OH)_2$
 - 2) ZnO
 - 3) Na_2ZnO_2
 - 4) $Zn(OH)_2 \cdot ZnCO_3$
- Alkali metals are characterized by**
 - 1) good conductors of heat and electricity
 - 2) high melting points
 - 3) low oxidation potentials
 - 4) high ionization potentials
- A solution of sodium in liquid ammonia is strongly reducing due to the presence of**
 - 1) sodium atoms
 - 2) sodium hydride
 - 3) sodium amide
 - 4) solvated electrons
- Causticisation is used for the preparation of**
 - 1) Caustic soda
 - 2) slaked lime
 - 3) caustic potash
 - 4) baryta
- A substance X is a compound of an element of group 1A. The substance X gives a violet colour in flame test, X is**
 - 1) $NaCl$
 - 2) $LiCl$
 - 3) KCl
 - 4) None of these
- Select the correct statement**
 - 1) Lithium carbonate is soluble in water
 - 2) Potassium carbonate is soluble in water
 - 3) Barium carbonate is soluble in water
 - 4) Bicarbonate of lithium is insoluble in water
- Alkali metals are powerful reducing agents because**
 - 1) These are metals
 - 2) these are monovalent
 - 3) Their ionic radii are large
 - 4) their ionization potentials are low
- Electrolysis of fused will give**
 - 1) Na
 - 2) $NaOH$
 - 3) $NaClO$
 - 4) $NaClO_3$
- An element having electronic configuration $1s^2, 2s^2, sp^6, 3s^2, 3p^6, 4s^1$ will form**
 - 1) acidic oxide
 - 2) basic oxide
 - 3) amphoteric oxide
 - 4) neutral oxide
- The products of electrolysis of concentrated common salt solution are**
 - 1) $Na + Cl_2$
 - 2) $H_2 + O_2$
 - 3) $NaOH + H_2 + Cl_2$
 - 4) $NaOH + Cl_2 + O_2$
- One of the natural minerals of sodium is tinal. Its formula is**
 - 1) $Na_2CO_3 \cdot 10H_2O$
 - 2) $NaNO_3$
 - 3) $Na_2B_4O_7 \cdot 10H_2O$
 - 4) $NaCl$
- Potassium when heated strongly in oxygen, it forms**
 - 1) K_2O
 - 2) KO_2
 - 3) K_2O_2
 - 4) KO

16. **The reaction of sodium is highly exothermic with water. The rate of reaction is lowered by**
 1) Lowering the temperature
 2) mixing with alcohol
 3) Mixing with acetic acid
 4) making an amalgam
17. **Chile saltpetre is**
 1) $NaNO_2$
 2) KNO_2
 3) $NaNO_3$
 4) KNO_3
18. **What are the raw materials used in Solvay process?**
 1) $NaCl, NH_3, CaCO_3$
 2) $NaOH, CO_2$
 3) $NaCl, CO_2$
 4) $NaCl, CaCO_3, C, H_2SO_4$
19. **Potassium nitrate is called**
 1) Mohr's salt
 2) Indian saltpetre
 3) Gypsum
 4) Chile saltpetre
20. **In the following reaction $NaOH + S \rightarrow A + Na_2S_5 + H_2O_2$ A is**
 1) Na_2SO_3
 2) Na_2SO_4
 3) $Na_2S_2O_3$
 4) Na_2S
21. **$Na_2CO_3 + Fe_2O_3 \rightarrow A + CO_2$, what is in the reaction?**
 1) $NaFeO_2$
 2) Na_3FeO_3
 3) Fe_3O_4
 4) Na_2FeO_2
22. **The name oxone is given to**
 1) Ozone
 2) sodium peroxide
 3) sodium oxide
 4) sodamide
23. **A combustible gas is liberated when caustic soda solution is heated with**
 1) S
 2) NH_4Cl
 3) I_2
 4) Zn
24. **Caustic soda is**
 1) Efflorescent
 2) deliquescent
 3) hygroscopic
 4) oxidant
25. **The compound called microcosmic salt is**
 1) $Na_2HPO_4 \cdot 2H_2O$
 2) $Na(NH_4)HPO_4 \cdot 4H_2O$
 3) $Na_2NH_4PO_4 \cdot 2H_2O$
 4) $(NH_4)_2HPO_4 \cdot 2H_2O$
26. **Sodium carbonate solution is alkaline due to**
 1) Hydrolysis of Na^+
 2) hydrolysis of CO_3^-
 3) Hydrolysis of both Na^+ and CO_3^- ions
 4) none of the above
27. **If $NaOH$ is added to an aqueous solution of Zn^{2+} ions, a white precipitate appears and on adding excess of $NaOH$, the precipitate dissolves. In the solution, zinc exists in the**
 1) Anionic part
 2) cationic part
 3) Both in anionic and cationic parts
 4) colloidal form
28. **Which of the following has lowest thermal stability?**
 1) Li_2CO_3
 2) Na_2CO_3
 3) K_2CO_3
 4) Rb_2CO_3
29. **The pair of compounds which cannot exist together in solution is**
 1) $NaHCO_3$ and $NaOH$
 2) Na_2CO_3 and $NaHCO_3$
 3) Na_2CO_3 and $NaOH$
 4) $NaHCO_3$ and $NaCl$
30. **The most abundant alkali metal in nature is**
 1) Lithium
 2) sodium
 3) potassium
 4) cesium
31. **Sodium burns in dry air to give**
 1) Na_2O
 2) Na_2O_2
 3) NaO_2
 4) Na_3N


32. Sodium sulphate is soluble in water whereas barium sulphate is sparingly soluble because
- 1) the hydration energy of sodium sulphate is more than its lattice energy
 - 2) the lattice energy of barium sulphate is less than its hydration energy
 - 3) the lattice energy has no role to play in solubility
 - 4) the hydration energy of sodium sulphate is less than its lattice energy
33. Which of the following increases in magnitude as the atomic number of alkali metals increases?
- 1) Electro negativity
 - 2) first ionization potential
 - 3) Ionic radius
 - 4) melting point
34. Washing soda has the formula
- 1) Na_2CO_3
 - 2) $Na_2CO_3 \cdot H_2O$
 - 3) $Na_2CO_3 \cdot 7H_2O$
 - 4) $Na_2CO_3 \cdot 10H_2O$
35. The metallic luster exhibited by sodium is explained by
- 1) Diffusion of sodium ions
 - 2) oscillation of mobile valence electrons
 - 3) existence of free protons
 - 4) existence of body centered cubic lattice
36. Crude common salt is hygroscopic because of impurities of
- 1) $CaSO_4$ and $MgSO_4$
 - 2) $CaCl_2$ and $MgCl_2$
 - 3) $CaBr_2$ and $MgBr_2$
 - 4) $Ca(HCO_3)_2$ and $Mg(HCO_3)_2$
37. When sodium is added in scanty water, it catches fire. In this process which one of the following burns?
- 1) Na
 - 2) H_2O
 - 3) CO
 - 4) H_2
38. Among $LiCl, RbCl, BeCl_2$ and $MgCl_2$ the compounds with greatest and least ionic character respectively are
- 1) $LiCl, RbCl$
 - 2) $RbCl, BeCl_2$
 - 3) $RbCl, MgCl_2$
 - 4) $MgCl_2, BeCl_2$
39. Prefix 'alkali' for alkali metals denotes
- 1) Silvery luster
 - 2) metallic nature
 - 3) active metals
 - 4) ashes of plants
40. $LiSO_4$ is not isomorphous with sodium sulphate
- 1) Due to small size of lithium
 - 2) Due to high hydrogen number of lithium
 - 3) Due to high ionisation energy of lithium
 - 4) None of the above
41. Thermal stability of hydrides of first group elements follows the order
- 1) $LiH > NaH > KH > RbH$
 - 2) $LiH > KH > NaH > RbH$
 - 3) $LiH > RbH > KH > NaH$
 - 4) $LiH > KH > RbH > NaH$
42. Chile saltpetre is the ore of
- 1) Iodine
 - 2) Bromine
 - 3) Sodium
 - 4) Magnesium
43. In certain matters, lithium differs from other alkali metals, the main reason for this is
- 1) small size of lithium atom and Li^+
 - 2) extremely high electropositivity of Li
 - 3) greater hardness of Li
 - 4) hydration of Li^+ ion
44. Identify the correct statement. Elemental sodium
- 1) can be prepared and isolated by electrolyzing an aqueous solution of sodium chloride
 - 2) is a strong oxidizing agent
 - 3) is insoluble in ammonia
 - 4) is easily oxidized

45. Which reacts directly with nitrogen to form nitride?
 1) *Na* 2) *Li* 3) *K* 4) *Rb*
46. Which of the following compounds on reaction with *NaOH* and H_2O_2 gives yellow color?
 1) $Zn(OH)_2$ 2) $Cr(OH)_3$ 3) $Al(OH)_3$ 4) None
47. The stability of the following alkali metal chlorides follows the order
 1) $LiCl > KCl > NaCl > CsCl$ 2) $CsCl > KCl > NaCl > LiCl$
 3) $NaCl > KCl > LiCl > CsCl$ 4) $KCl > CsCl > NaCl > LiCl$
48. In view of their low ionization energies, the alkali metals are
 1) weak oxidizing agents 2) strong reducing agents
 3) weak reducing agents 4) weak reducing agents
49. When sodium is treated with sufficient oxygen/air, the product obtained is
 1) Na_2O 2) Na_2O_2 3) NaO_2 4) NaO
50. Which of the following has the least ionization potential?
 1) *Li* 2) *He* 3) *N* 4) *N*
51. KO_2 (Potassium superoxide) is used in oxygen cylinders in space and submarines because it
 1) Decomposes to give oxygen 2) eliminates moisture
 3) Absorbs CO_2 4) produces ozone
52. Sodium carbonate on heating gives
 1) CO_2 2) water vapours
 3) Carbon dioxide + water vapour 4) none of the above
53. On dissolving moderate amount of sodium metal in liquid NH_3 at low temperature, which one of the following does not occur?
 1) Blue coloured solution is obtained
 2) Na^+ ions are formed in the solution
 3) Liquid NH_3 becomes good conductor of electricity
 4) Liquid NH_3 remains diamagnetic
54. An alloy of *Na* and *K* is
 1) Liquid at room temperature
 2) Used in specially designed thermometers
 3) Unstable
 4) Solid at room temperature
55. (A) Lithium resembles magnesium, diagonally placed in IIA group.
 (R) The sizes of lithium and magnesium atoms and their ions (Li^+ and Mg^{2+}) are nearly the same.
 1) if both (1) and (R) are correct and (R) is the correct explanation of (1)
 2) if both (1) and (R) are correct and (R) is not the correct explanation of (1).
 3) if (1) is correct and (R) is wrong.
 4) if (1) is wrong and (R) is correct.
 e) if both (1) and (R) are wrong.
56. (A) Lithium chloride is predominantly covalent compound.
 (R) Electronegativity difference between *Li* and *Cl* is small.
57. (A) Alkali metals do not occur in native state.
 (R) Alkali metals are highly reactive metals.

71. A colourless solid (X) on heating evolved CO_2 when treated with dilute acid (X) is

- 1) Na_2CO_3 2) $CaCO_3$ 3) $NaHCO_3$ 4) $Ca(HCO_3)_2$

72.



(1) and (2) are

- | | |
|--|---|
| <p>1) $NaHCO_3, Na_2CO_3$</p> <p>3) $HCOONa, NaOH$</p> | <p>2) $\begin{matrix} HCOONa, COONa \\ \\ COONa \end{matrix}$</p> <p>4) $NaHCO_3, NaOH$</p> |
|--|---|

73. Select the correct statement

- 1) Solubility of alkali hydroxides is in order $CsOH > RbOH > KOH > NaOH > LiOH$
- 2) Solubility of alkali carbonates is in order $Li_2CO_3 > Na_2CO_3 > K_2CO_3 > Rb_2CO_3 > CsCO_3$
- 3) Both are correct
- 4) None is correct

74. Match the following:

List-I

List-2

Common name

Formula

- | | | |
|----|--------------|----------------------------|
| A) | Caustic soda | 1) $NaHCO_3$ |
| B) | Washing soda | 2) $Na_2CO_3 \cdot 10H_2O$ |
| C) | Baking soda | 3) $NaCl$ |
| D) | Rock salt | 4) Na_2CO_3 |
| | | 5) $NaOH$ |

The correct match is

- | | | | |
|------|---|---|---|
| A | B | C | D |
| 1) 2 | 3 | 4 | 5 |
| 2) 1 | 2 | 4 | 3 |
| 3) 5 | 2 | 1 | 3 |
| 4) 4 | 3 | 1 | 2 |

75. Match the following:

List-I

List-2

- | | | |
|----|--------------|----------------------------|
| A) | Peroxide | 1) KO_2 |
| B) | Deliquescent | 2) Na_2CO_3 |
| C) | Superoxide | 3) $Na_2SO_4 \cdot 10H_2O$ |
| D) | Soda | 4) Na_2O_2 |
| | | 5) $LiCl$ |

The correct match is

- | | A | B | C | D |
|----|---|---|---|---|
| 1) | 2 | 3 | 4 | 5 |
| 2) | 1 | 2 | 4 | 3 |
| 3) | 3 | 2 | 1 | 2 |
| 4) | 4 | 5 | 1 | 2 |

76. **List-I**

List-2

- | | |
|------------------------------|----------------------|
| A) $K_2CO_3 + Na_2CO_3$ | 1) Dehydrating agent |
| B) Quick lime | 2) Water glass |
| C) $Na_2B_4O_7 \cdot 10H_2O$ | 3) Borax |
| D) Na_2SiO_3 | 4) Glauber's salt |
| | 5) Fusion mixute |

The correct match is

- | | A | B | C | D |
|----|---|---|---|---|
| 1) | 4 | 3 | 2 | 1 |
| 2) | 5 | 1 | 3 | 2 |
| 3) | 3 | 2 | 1 | 4 |
| 4) | 4 | 2 | 5 | 3 |

77. **List-I**

List-2

- | | |
|-----------------|----------------------------|
| A) Sodalime | 1) $Na_2CO_3 \cdot 10H_2O$ |
| B) Electron | 2) $NaOH + CaO$ |
| C) Black ash | 3) $Mg + Zn$ alloy |
| D) Washing soda | 4) $Na_2CO_3 + CaS$ |
| | 5) $Mg + Al$ alloy |

The correct match is

- | | A | B | C | D |
|----|---|---|---|---|
| 1) | 2 | 3 | 4 | 1 |
| 2) | 3 | 4 | 5 | 2 |
| 3) | 1 | 2 | 3 | 4 |
| 4) | 3 | 4 | 2 | 1 |





KEY



- 1) 2 2) 3 3) 3 4) 3 5) 2 6) 4 7) 1 8) 3 9) 2 10) 4
 11) 1 12) 2 13) 3 14) 3 15) 2 16) 4 17) 3 18) 1 19) 2 20) 3
 21) 1 22) 2 23) 4 24) 2 25) 2 26) 2 27) 1 28) 1 29) 4 30) 2
 31) 2 32) 1 33) 3 34) 4 35) 2 36) 2 37) 4 38) 2 39) 4 40) 1
 41) 1 42) 3 43) 1 44) 4 45) 2 46) 2 47) 4 48) 2 49) 2 50) 1
 51) 1 52) 4 53) 4 54) 4 55) 1 56) 3 57) 1 58) 2 59) 3 60) 4
 61) 1 62) 4 63) 2 64) 3 65) 1 66) 2 67) 1 68) 4 69) 2 70) 3
 71) 3 72) 2 73) 1 74) 3 75) 4 76) 2 77) 1

HINTS




- 2) $Na_2CO_3 \cdot 10H_2O \rightarrow Na_2CO_3 + 10H_2O$
 4) $Zn + 2NaOH \rightarrow Na_2ZnO_2 + H_2 \uparrow$
 14) $Tincol \rightarrow Na_2B_4O_7 \cdot 10H_2O$
 25) $Na(NH_4)HPO_4 \cdot 4H_2O \rightarrow NaOH + H_2CO_3$
 26) $Na_2CO_3 + 2H_2O \rightarrow NaOH + H_2CO_3$
 28) **Thermal stability of IA group carbonates** $Li_2CO_3 < Na_2CO_3 < K_2CO_3 < RbCO_3$
 38) **Ionic character increases the group**
 41) **Thermal stability of hydrides** $LiH > NaH > KH > RbH$
 53) **Due to presence of solvated electrons**
 55) **Diagonal relationship is due to**
 i) Same E.N
 ii) Same Polarizing Power
 iii) Same atomic radius

62)





65)



72)

