

Equations

- 1. A body executing simple harmonic motion has maximum acceleration**
 - 1) At the mean positions
 - 2) At the two extreme position
 - 3) At any position
 - 4) The question is irrelevant
- 2. A particle moves on the x-axis according to the equation $x = A + B \sin \omega t$. The motion is simple harmonic with amplitude**
 - 1) A
 - 2) B
 - 3) A + B
 - 4) $\sqrt{A^2 + B^2}$
- 3. If the maximum acceleration of a S.H.M. is a and the maximum velocity is b, then amplitude of vibration is given by**
 - 1) b^2a
 - 2) a^2b
 - 3) $\frac{b^2}{a}$
 - 4) $\frac{a^2}{b}$
- 4. For a particle executing S.H.M, which of the following statements is not correct?**
 - 1) The total energy of a particle always remains the same
 - 2) The restoring force is always directed towards a fixed point
 - 3) The restoring force is maximum at the extreme positions
 - 4) The acceleration of the particle is maximum at the equilibrium position
- 5. Choose the correct statement.**
 - a) Any motion that repeats itself in equal intervals of time along the same path is called periodic motion.**
 - b) The displacement of a particle in periodic motion can always be expressed in terms of sine and cosine functions of time.**

c) A body in periodic motion moves back and forth over the same path is called oscillatory or vibrating motion.

d) Simple harmonic motion is a particular case of periodic motion.

- | | |
|--------------------------|--------------------------|
| 1) Only a, b, d are true | 2) Only b, c, d are true |
| 3) Only a, c, d are true | 4) All are true |

6. In a periodic motion when a body moves to and fro about a fixed mean position its acceleration.

- 1) Proportional to displacement of body from mean position and is always directed towards the mean position.
- 2) Inversely proportional to displacement of body from mean position and is always directed away from mean position.
- 3) Proportional to displacement of body from mean position and is always directed away from mean position
- 4) May be proportional to displacement but unspecified direction.

7. In S.H.M.

- 1) The acceleration and displacement of a body are proportional to each other and opposite in direction.
- 2) The accelerations and displacement of body are proportional to each other and same in direction.
- 3) The acceleration and displacement of body are inversely proportional to each other and opposite in direction.
- 4) The acceleration and displacement are inversely proportional to each other and same in direction.

8. The uniform circular motion in general can be described as a combination of two simple harmonic motions.

- 1) Acting perpendicular to each other
- 2) Acting parallel to each other
- 3) Acting anti parallel to each other
- 4) Acting inclines to each other with less than 90^0

9. Statement (a): The velocity of simple harmonic oscillator is maximum at mean position

Statement (b): At extreme position the acceleration of simple harmonic oscillator is maximum.

Statement (c): The velocity of simple harmonic oscillator is minimum at extreme position

- 1) a, b are true
- 2) Only a is true
- 3) b, c are true
- 4) All are true

10. For a simple harmonic oscillator the frequency of oscillation is independent of

- 1) Time period
- 2) Acceleration
- 3) Angular velocity
- 4) Amplitude

11. The phase difference between velocity and acceleration of simple harmonic oscillator.

- 1) π
- 2) $\frac{\pi}{2}$
- 3) $\frac{\pi}{4}$
- 4) $\frac{\pi}{3}$

12. The phase difference between acceleration and displacement of simple harmonic oscillator

- 1) π
- 2) $\frac{\pi}{2}$
- 3) $\frac{\pi}{4}$
- 4) $\frac{\pi}{3}$

18. (A): The motion of sewing needle is an example for SHM.

(R): A liquid is taken in U-tube. Liquid in one limb is pressed and released It executes SHM.

- 1) A and R are true but R is not the explanation for A.
- 2) A and R are true R is the explanation for A.
- 3) A is true R is false.
- 4) A is false R is correct.

19. (A): The phase difference between displacement and velocity in SHM is 90° .

(R): The displacement is represented by $y = A \sin \omega t$.

- 1) A and R true and R is correct explanation for A.
- 2) A and R are true and R is not correct explanation for A.
- 3) A is true R is false.
- 4) A is false R is true.

20. When a body in SHM match the items in column A with that in column B.

Item - I

- a) Velocity is maximum
- b) Kinetic energy is $\frac{3}{4}$ th of total energy
- c) P.E. is $\frac{3}{4}$ th of total energy
- d) Acceleration is maximum

Item - II

- e) At half of the amplitude
- f) At the mean position
- g) At extreme position
- h) At $\frac{\sqrt{3}}{2}$ times amplitude

- 1) a - f, b - e, c - h, d - g 2) a - e, b - f, c - g, d - h
3) a - g, b - h, c - e, d - f 4) a - h, b - e, c - f, d - e

21. When a body in SHM match the statements in column A with that in column B.

Column - I

Column II

- a) Velocity is maximum e) At half of the amplitude
b) Kinetic energy is $\frac{3}{4}$ th of total energy f) At the mean position
c) P.E. is $\frac{3}{4}$ th of total energy g) At extreme position
d) Acceleration is maximum h) At $\frac{\sqrt{3}}{2}$ times amplitude

- 1) a - f, b - e, c - h, d - g 2) a - e, b - f, c - g, d - h
3) a - g, b - h, c - e, d - f 4) a - h, b - e, c - f, d - e

22. The time period of oscillation of the particle in SHM is 'T'. Then match the following.

Column - I

Column II

- a) $\frac{3}{8}$ th of oscillation from extreme position e) $\frac{2T}{3}$
b) $\frac{3}{8}$ th of oscillation from mean position f) $\frac{T}{3}$
c) $\frac{5}{8}$ th of oscillation from extreme position g) $\frac{7T}{12}$
d) $\frac{5}{8}$ th of oscillation from mean position h) $\frac{5T}{12}$

1) a - e ; b- g ; c - f ; d - h

2) a - f ; b - h ; c - e ; d - g

3) a - f ; b - e ; c - h ; d - g

4) a - e ; b - f ; c - g ; d - h

23. A): The displacement time graph for a particle in SHM is sine curve, when the motion begins from mean position.

R): The displacement of a particle in SHM is given by $y = A \sin \omega t$

1) A and R true and R is correct explanation for A.

2) A and R are true and R is not correct explanation for A.

3) A is true R is false.

4) A is false R is true.

24. A): In damped vibrations, Amplitude of oscillation decreases.

R): Damped vibrations indicate loss of energy due to air resistance.

1) A and R true and R is correct explanation for A.

2) A and R are true and R is not correct explanation for A.

3) A is true R is false.

4) A is false R is true.

25. A): SHM is an example of varying velocity and varying acceleration.

R): For a particle performing SHM in non-viscous medium its total energy is constant.

1) A and R true and R is correct explanation for A.

2) A and R are true and R is not correct explanation for A.

3) A is true R is false.

- 4) A is false R is true.
- 26. The time period of a particle performing linear SHM is 12s. What is the time taken by it to make a displacement equal to half its amplitude?**
- 1) 1sec 2) 2sec 3) 3sec 4) 4sec
- 27. The equation motion of a particle in S.H.M is $a + 16\pi^2x = 0$. In the equation 'a' is the linear acceleration (in m/sec^2) of the particle at a displacement 'x' in meter. The time period of S H M in seconds is**
- 1) $\frac{1}{4}$ 2) $\frac{1}{2}$ 3) 1 4) 2
- 28. The displacement of a particle executing SHM is given by $Y = 10 \sin (3t + \pi / 3)$ m and 't' is in seconds. The initial displacement and maximum velocity of the particle are respectively**
- 1) $5\sqrt{3}$ m and 30m/sec 2) 15m and $15\sqrt{3}$ m/sec
3) $15\sqrt{3}$ m and 30 m/sec 4) $20\sqrt{3}$ m and 30 m/sec
- 29. A particle is vibrating in SHM with amplitude of 4cm. At what displacement from the equilibrium position it has half potential and half kinetic**
- 1) 1cm 2) $\sqrt{2}$ cm 3) 2 cm 4) $2\sqrt{2}$ cm
- 30. A particle moves according to the law $x = a \cos \frac{\pi t}{2}$. The distance covered by it in the time interval between $t = 0$ to $t = 3$ sec is**
- 1) 2 a 2) 3a 3) 4 a 4) a
- 31. For a body in S.H.M the velocity is given by the relation $v = \sqrt{144 - 16x^2}$ m/sec. The maximum acceleration is**
- 1) 12 m/sec^2 2) 16 m/sec^2 3) 36 m/sec^2 4) 48 m/sec^2

32. Two SHMs are represented by the equations $y_1 = 10 \sin(3\pi t + \pi/4)$ and $y_2 = 5[\sin 3\pi t + \sqrt{3} \cos 3\pi t]$. Their amplitudes are in the ratio

- 1) 1:2 2) 2:1 3) 1:3 4) 1:1

33. A body executing SHM at a displacement 'x' its PE is E_1 , at a displacement 'Y' its PE is E_2 . The P.E at a displacement $(x + y)$ is

- 1) $\sqrt{E} = \sqrt{E_1} - \sqrt{E_2}$ 2) $\sqrt{E} = \sqrt{E_1} + \sqrt{E_2}$ 3) $E = E_1 + E_2$ 4) $E = E_1 - E_2$

34. An object is attached to the bottom of a light vertical spring and set vibrating. The maximum speed of the object is 15 cm / sec and the period is 628 m sec. The amplitude of the motion in centimeter is

- 1) 3 2) 2 3) 1.5 4) 1.0

35. The angular velocities of three bodies in SHM are $\omega_1 \omega_2 \omega_3$ with their respective amplitudes as $A_1 A_2 A_3$. If all three bodies have same mass and velocity then

- 1) $A_1 \omega_1 = A_2 \omega_2 = A_3 \omega_3$ 2) $A_1 \omega_1^2 = A_2 \omega_2^2 = A_3 \omega_3^2$
3) $A_1^2 \omega_1 = A_2^2 \omega_2 = A_3^2 \omega_3$ 4) $A_1^2 \omega_1^3 = A_2^2 \omega_2^3 = A_3^2 \omega_3^3$

36. Four simple harmonic vibrations $x_1 = 8 \sin \omega t$, $x_2 = 6 \sin(\omega t + \pi/2)$, $x_3 = 4 \sin(\omega t + \pi)$ and $x_4 = 2 \sin(\omega t + \frac{3\pi}{2})$ are superimposed on each other. The resulting amplitude is

- 1) 20 2) $8\sqrt{2}$ 3) $4\sqrt{2}$ 4) 4

37. The displacement of a particle executing S.H.M from its mean position is given by $x = 0.5 \sin (10 \pi t + 1.5) \cos (10 \pi t + 1.5)$. The ratio of the maximum velocity to the maximum acceleration of the body is given by

- 1) 20π 2) $\frac{1}{20 \pi}$ 3) $\frac{1}{10 \pi}$ 4) 10π

38. The total mechanical energy of a harmonic oscillator of amplitude 1m and force constant 200 N/m is 150J. Then

- 1) The minimum P E is Zero 2) The maximum P E is 100 J
3) The minimum P E is 50 J 4) The maximum P E is 50 J

39. A particle of mass 'm' is attached to a spring of spring constant ω_0 . An external force $F(t)$ proportional to $\cos \omega t$ ($\omega \neq \omega_0$) is applied to the oscillator. The time displacement of the oscillator will be proportional to

- 1) $\frac{m}{(\omega_0 - \omega^2)}$ 2) $\frac{m}{(\omega_0^2 + \omega^2)}$ 3) $\frac{1}{m(\omega_0^2 + \omega^2)}$ 4) $\frac{1}{m(\omega_0^2 - \omega^2)}$

40. A body executes SHM under the action of force 'F' with a time period 4/5 sec. If the force is changed to 'F₂' to execute SHM with time period (3/5) sec. If the both the forces F₁ and F₂ act simultaneously in the same direction on the body, its time period in seconds is (in sec)

- 1) $\frac{12}{25}$ 2) $\frac{12}{15}$ 3) $\frac{25}{24}$ 4) $\frac{25}{12}$

41. A particle is executing simple harmonic motion along a straight line 8cm long. While passing through mean position its velocity is 16cm/s. Its time period will be

- (1) 0.157 sec (2) 1.57 sec (3) 15.7 sec (4) 0.0157 sec

42. A particle of mass 0.8 kg is executes S.H.M. its amplitude is 1.0m and time period is $\frac{11}{7}$ sec. The velocity of the particle, at the instant when its displacement is 0.6m will be

- (1) 32 m/s (2) 3.2 m/s (3) 0.32 m/s (4) Zero

Key

- 1) 2 2) 4 3) 3 4) 4 5) 4 6) 1 7) 1 8) 1 9) 4
10) 4 11) 2 12) 1 13) 4 14) 1 15) 2 16) 4 17) 3 18) 1
19) 1 20) 1 21) 1 22) 2 23) 1 24) 1 25) 2 26) 2 27) 2
28) 1 29) 4 30) 2 31) 4 32) 4 33) 2 34) 3 35) 1 36) 3
37) 2 38) 3 39) 4 40) 1 41) 2 42) 2

Hints

26. $Y = A \cos \omega t$

$$\frac{A}{2} = A \cos \omega t$$

$$\cos(\omega t) = \frac{1}{2}$$

$$\omega t = \frac{\pi}{3}$$

$$\frac{2\pi}{T} t = \frac{\pi}{3} t = T / 6$$

$$27. \left. \begin{aligned} a &= -16\pi^2 x \\ a &= -\omega^2 x \end{aligned} \right\} \Rightarrow \omega^2 = 16\pi^2 \quad \omega = 4\pi$$

$$\frac{2\pi}{T} = 4\pi \Rightarrow T = \frac{2\pi}{4\pi} = \frac{1}{2}$$

$$28. t = 0 \Rightarrow y = 10 \sin \frac{\pi}{3} = 5\sqrt{3}m$$

$$V_{\max} = \omega A = 10 \times 3 = 30 \text{ m/sec}$$

$$29. \text{K.E.} = \text{P. E.}$$

$$\frac{1}{2}m\omega^2 (A^2 - x^2) = \frac{1}{2}m\omega^2 x^2$$

$$A^2 - x^2 = x^2$$

$$A^2 = 2x^2 = x^2 = A^2 / 2$$

$$x = \frac{A}{\sqrt{2}} = \frac{4}{\sqrt{2}} = 2\sqrt{2}cm$$

$$30. x = a \cos \frac{\pi}{2}t = a \cos \omega t$$

$$\omega = \pi / 2 \text{ and } \frac{2\pi}{T} = \frac{\pi}{2}$$

$$T = 4 \text{ sec}$$

Distance covered will be = 3a

$$31. V = \sqrt{144 - 16x^2}$$

$$= \sqrt{16(9 - x^2)}$$

$$V = 4\sqrt{3^2 - x^2}$$

$$V = \omega \sqrt{A^2 - x^2}$$

$$a_{\max} = \omega^2 A = (4^2) \times 3 = 48 \text{ m/sec}^2$$

32. $y_1 = 10 \sin(3\pi t + \pi/4)$

$$y_2 = 5 \times 2 \left[\sin 3\pi t \cdot \frac{1}{2} + \frac{\sqrt{3}}{2} \cos 3\pi t \right]$$

$$y_2 = 10 \left[\sin 3\pi t \cos \pi/3 + \sin \pi/2 \cos 3\pi t \right]$$

$$y_2 = 10 \sin(3\pi t + \pi/3)$$

$$A_1 : A_2 = 1 : 1$$

33. $PE \quad E = \frac{1}{2} m \omega^2 x^2$

$$E \propto x^2 \Rightarrow \left. \begin{array}{l} x \propto \sqrt{E_1} \\ y \propto \sqrt{E_2} \end{array} \right\} \rightarrow 1$$

$$x + y \propto \sqrt{E} \rightarrow 2$$

$$\text{From (1) and (2), } \sqrt{E} = \sqrt{E_1} + \sqrt{E_2}$$

34. $V_{\max} = A$

$$V_{\max} = A \cdot \frac{2\pi}{T}$$

$$1.5 = A \cdot \frac{2 \times 3.14}{628 \times 10^{-3}}$$

$$A = 1.5 \text{ cm}$$

35. $V = A \omega$

$$A_1 \omega_1 = A_2 \omega_2 = A_3 \omega_3$$

36. $A^1 = \sqrt{4^2 + u^2} \Rightarrow A^1 = 4\sqrt{2} \text{ units}$

37. $x = \frac{0.5}{2} \times \frac{2 \sin \theta \cos \theta}{2}$

$$x = \frac{0.5}{2} \times \sin 2\theta$$

$$x = \frac{0.5}{2} \times \sin(20\pi t + 3)$$

$$x = A \sin(\omega t + \phi)$$

$$\frac{A_w}{A w^2} = \frac{1}{w} = \frac{1}{20\pi}$$

38. TE of the particle is SHM = $\frac{1}{2} k A^2$

$$= \frac{1}{2} \times 200 \times 1 = 100J$$

Mechanical energy = 150J at mean position the minimum PE is 150 - 100 = 50J

39. Equation of displacement given by $x = A \sin(\omega t + \phi)$

$$\text{Where } A = \frac{F_0}{m\sqrt{(\omega^2 - \omega_0^2)}} = \frac{F_0}{m(\omega^2 - \omega_0^2)}$$

Here damping effect is considered to be zero

$$A \propto \frac{1}{m(\omega^2 - \omega_0^2)}$$

$$40. F = m\omega^2 A = m \frac{4\pi^2}{T^2} A$$

$$\left. \begin{aligned} F_1 &\propto \frac{1}{T_1^2} \\ F_2 &\propto \frac{1}{T_2^2} \end{aligned} \right\} \rightarrow 1$$

$$F_1 + F_2 \propto \frac{1}{T_1^2} \rightarrow 2$$

$$\frac{1}{T_1^2} + \frac{1}{T_2^2} = \frac{1}{T^2}$$

$$T = \frac{T_1 T_2}{\sqrt{T_1^2 + T_2^2}}$$

$$T_2 = \frac{3}{5} \text{ sec}$$

$$T = \frac{12}{25} \text{ sec}$$

41.

$$V_m = \omega a = \frac{2\pi}{T} a$$

$$T = \frac{2\pi a}{V_m} = \frac{2 \times 3.14 \times 4}{16} = 1.57 \text{ s}$$

42. $V = \omega \sqrt{a^2 - x^2}$

$$V = \frac{2\pi}{T} \sqrt{a^2 - x^2}$$

$$= \frac{2 \times 22 \times 7}{7 \times 11} \sqrt{1 - 0.36}$$

$$= 3.2 \text{ m/s}$$