VI A Group Elements Previous Questions

P-Block Elements -VI A Group Elements -Previous Questions

2011

1. Which is not the correct statement?

[DUMET]

- 1. The S_8 ring is not planar
- 2. Oxygen is more electronegative than sulphur.
- 3. SF_8 exists, but OF_4 does not exist
- 4. SO_3 and SO_3^{2-} both have trigonal planar geometry

2010

If the supply of oxygen is limited H_2S reacts with O_2 to form 2. [AFMC]

- 1. $H_2O + SO_3$
- 3. $H_2SO_4 + S$ 4. $H_2O + SO_2$

3. Bromine water reacts with SO₂ to form [AFMC]

- 2. H_2O and HBr 3. S and H_2O 4. H_2SO_4 and HBr

 O_2 and O_3 are 4.

[CPMT]

- 1. Allotropes
- 2. Isotopes
- 3. Isomorphs
- 4. Polymorphs

Ozone can be tested by 5.

[Haryana PMT]

- 1. Ag
- 2. Hg
- 3. Zn
- 4. Au

6.	Sulphur trioxide gas when dissolved in H_2SO_4 the product obtained is							
				[OJEE]				
	1. H_2SO_3	2. H_2SO_5	3. $H_2S_2O_7$	4. $H_2S_2O_8$				
7.	lpha and eta forms of sulphur are at equilibrium at a temperature known as							
				[OJEE]				
	1. Critical temperat	ture	3. Transition tempe	rature				
	3. Boyle's tempera	ture	4. Inversion temper	ature •				
8.	Which of the following statements regarding ozone is not correct?							
			[WB JEE]					
	1. The ozone molecule is angular in shape							
	2. The ozone is a resonance hybrid of two structures							
	3. The oxygen-oxygen bond length in ozone is identical with that of molecular							
	oxygen.							
	4. Ozone is used as germicide and disinfectant for the purification of air.							
9.	Caro's acid is	3.		[VMMC]				
	1. $H_2S_2O_3$	$2. H_2SO_5$	3. $H_2S_2O_8$	4. $H_2S_2O_7$				
10.	When nitric acid i	reacts with nitric oxi	ide, a gas is released	, which converts				
	H_2S into			[AIIMS]				
	1. SO_4^{2-}	2. S^{2-}	3. S	4. $S_2O_5^{2-}$				
11.	Peroxide bond is a	absent in		[CPMT]				
	1. $(S_2O_7)^{2-}$	2. $(S_2O_8)^{2-}$	3. <i>CrO</i> ₅	4. <i>BaO</i> ₂				

The type of bonds present in sulphuric anhydride **12.**

[EAMCET]

1. 3σ and three $p\pi - d\pi$

2. 3σ , one $p\pi - p\pi$ and two $p\pi - d\pi$

3. 2σ and three $p\pi - d\pi$

4. 2σ and two $p\pi - d\pi$

13. The acid having O – O bond is

[CG PMT, Haryana PMT]

1. $H_2S_2O_3$

2. $H_2S_2O_6$ 3. $H_2S_2O_8$

14. The correct order of acidic strength is

[CG PMT, Haryana PMT]

1. $Cl_2O_7 > SO_2 > P_4O_{10}$

3. $Na_2O > MgO > Al_2O_3$

2008

15. Perdisulphuric acid has the following bond

[AIIMS]

$$0 \leftarrow 0 = 0$$

$$2. \leftarrow 0 = 0 \longrightarrow$$

 S^{2-} and SO_3^{2-} can be distinguished by using **16.**

[AIIMS]

2.
$$Na_2[Fe(CN)_5NO]$$

4. None of the above

Assertion: The S - S - S bond angle in S_8 molecule is 105° .

Reason: S_8 has V-shape.

[AIIMS]

1. Both Assertion and Reason are true and Reason is the correct explanation of Assertion.

Assertion.

2. Both Assertion and Reason are true but Reason is not the correct explanation of

	Assertion is true but Reason is false.						
	4. Both Assertion and Reason are false.						
18.	Which of the following salt would give SO_2 with hot and dil. H_2SO_4 and also						
	decolurises Br_2 water			[Manipal]			
	1. Na_2SO_3 2. Na_2SO_3	eHSO ₄	3. <i>Na</i> ₂ <i>SO</i> ₄	4. <i>Na</i> ₂ <i>S</i>			
19.	Ozone is used for purifyi	ng water bec	ause	[BCECE]			
	1. It dissociates and releas	e oxygen	60				
	2. Do not leave any foul smell like chlorine.						
	3. Kills bacteria, cyst, fungi and acts as a biocide						
	4. All of the above	VIO					
20.	H_2S is not a/an						
	1. Reducing agent 2. Ac	idic	3. Oxidizing agen	t 4. None of these			
21.	When conc. H_2SO_4 is hea	ted with P_2O_5 ,	, the acid is conver	ted into			
	1. Sulphur Trioxide	I of the above is not a/an educing agent 2. Acidic 3. Oxidizing agent 4. None of these on conc. H_2SO_4 is heated with P_2O_5 , the acid is converted into alphur Trioxide 2. Sulphur Dioxide					
1	3. Sulphur	4. A mixture	of Sulphur Dioxide	e and Sulphur Trioxide			
22.	$KMnO_4$ is a strong oxidisi	ng agent in a	cid medium. To pr	ovide acid medium			
	H_2SO_4 is used instead of I	ecause	[Kerala CEE]				
	1. H_2SO_4 is a stronger acid	than HCl.	2. HCl is oxidised	by $KMnO_4$ to Cl_2			

3. H_2SO_4 is a dibasic acid

4. Rate is faster in the presence of

 H_2SO_4

23. The sides of safety matches contains

[BCECE]

- 1. Red Phosphorus + Sand Power
- 2. P_4S_3
- 3. $Ca_3(PO_4)$ + Glass pieces
- 4. KClO₃, KNO₃, Sulphur + Antimony

VIA GROUP ELEMENTS PREVIOUS QUESTIONS

KEY

1) 4	2) 2	3) 4	4) 1	5) 2	6) 3	7) 2	8) 3	9) 2	10) 3
11) 1	12) 2	13) 3	14) 1	15) 4	16) 3	17) 3	18) 1	19) 4	20) 3
			. (
21) 1	22) 2	23) 1							
		•							

VIA GROUP ELEMENTS PREVIOUS QUESTIONS (SOLUTIONS)

1. SO_3 is trigonal planar due to sp^2 hybridised sulphur.

 SO_3^{2-} is sp^3 hybridised but pyramidal due to the presence of lone pair of electrons.

2. In limited supply of oxygen, H_2S buns with blue flame and S and H_2O are the main products

$$2H_2S + O_2 \rightarrow 2H_2O + 2S$$

Note In excess of oxygen, H_2S gives SO_2 and water as main product.

3. When bromine water reacts with SO_2 , it oxidises it to sulphuric acid and itself gets reduced to HBr.

$$Br_2 + 2H_2O + SO_2 \rightarrow 2HBr + H_2SO_4$$

Bromine water

4. Since, in O_2 and O_3 different these numbers of same element, i.e., oxygen is present, hence these are allotropes.

Note Different crystalline structure, different number of atoms and different nuclear spins all result in allotropy.

5. Ozone can be tested by Hg (mercury).

$$2Hg + O_3 \rightarrow Hg_2O + O_2$$

mercurous ovide

During this reaction mercury loses its meniscus and starts sticking to the side of the glass. This is known as tailing of mercury.

6.
$$SO_3 + H_2SO_4 \rightarrow H_2S_2O_7$$
oleum

7. The temperature at which both the varieties of sulphur co-exist is called transition temperature.

$$\alpha$$
 – sulphur β – sulphur β – sulphur

- 8. Due to resonance the bond order in ozone is 1.5, hence O O bond length in O_3 is greater than O O bond length O_2 .
- 9. H_2SO_5 (peroxomono sulfuric acid) is known as Caro's acid.
- 10. When nitric acid (HNO_3) reacts with nitric oxide (NO), NO_2 gas is released which oxidizes H_2S into sulphur. The reactions are as follows:

$$2HNO_3 + NO \rightarrow H_2O + 3NO_2$$

 $NO_2 + H_2S \rightarrow H_2O + S + NO$

14. Acidic strength of oxides increases along a period from left to right and decreases along a group from upward to downward. Therefore, the correct order of acidic strength is

$$Cl_2O_7 > SO_2 > P_4O_{10}$$

[: the position of Cl, S and P along a period is as P,S and Cl]

16.
$$S^{2-} + (CH_3COO_2)Pb \rightarrow PbS_{\substack{black \\ ppt.}} \downarrow +2CH_3COO^-$$

$$S^{2-} + Na_2 \Big[Fe[CN]_5 NO \Big] \rightarrow \Big[Fe(CN)_5 NOS \Big]^{4-} + 2Na_5 \Big]$$

Hence, they are distinguished by both the reagents as only S^2 gives precipitate with these reagents.

- 17. S-atom in S_8 molecule are sp^3 hybridised and contain two lone pair of electrons on each and exist as staggered eight atom rings.
- 18. Na_2SO_3 reacts with hot and dil. H_2SO_4 to give SO_2 gas which decolorises bromine water.
- 19. Ozone is used for purifying water because ozone kills the bacteria, cysts, fungi, mold, parasites, viruses, contaminates, etc. It is one of the effective ways of eliminating microorganisms in the water.

Ozone is most effective oxidant (secondary to F_2). It inactivates and bacteria faster than chlorine. Ozone do not form TMH which have unpleasant odour and also carcinogenic. Ozone is very good biocide. Ozone also absorbs UV radiation.

20. Only H-atom is directly attached to P. H_2S acts a reductions agent, because it can reduce PbO into PbS. $PbO + H_2S \rightarrow Pbs + H_2O$

It is acidic in nature. In chalcogens, the acidic nature of hydride increases from H_2OtoH_2 Te.

21. When conc. H_2SO_4 is heated with P_2O_5 , the acid is converted into sulphur trioxide.

$$2H_2SO_4 + 2P_2O_5 \rightarrow 2SO_3 + 4HPO_3$$

22. $KMnO_4$ is strong oxidising agent in acidic medium H_2SO_4 is used instead of HCl to provide acidic medium because of HCl is oxidized by $KMnO_4$ into Cl_2 .

or.

or.

or.

or. 23. The head of match stick contains KClO₃, KNO₃, sulphur and antimony.