Question Paper Preview

Question Paper Name:BSc MathematicsSubject Name:BSc Mathematics

Mathematics

Number of Questions:100Display Number Panel:YesGroup All Questions:No

Question Number: 1 Question Id: 67809416619 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If sin x is an integrating factor of the differential equation dy/dx +Py = Q, then P is

Options:

- log sin x
- 2 cot x
- 3. sin x
- 4 log cosx

Question Number : 2 Question Id : 67809416620 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The solution of the differential equation (x+y)(dx-dy) = dx+dy

$$_{1.} x+y=ce^{x-y}$$

$$_{\gamma}$$
 x-y = c

$$_{3.}$$
 x+y = xy e^{x-y}

$$x+y=c$$

Which of the following is a Clairut's equation?

[]

Options:

$$y = Px + \emptyset(P)$$

$$_2$$
. $dx/P = dy/Q = dz/R$

$$_3$$
 dy/x +Py = Q

$$y = Px + Q$$

Question Number: 4 Question Id: 67809416622 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The integrating factor of $x^2y dx - (x^3 + y^3) dy = 0$ which makes the equation exact is

Options:

$$\frac{-1}{y^4}$$

$$\frac{1}{y^4}$$

$$\frac{-1}{x^4}$$

$$\frac{1}{x^4}$$

 $Question\ Number: S\ Option\ Correction\ Correction\$

The degree of $y = \cos(dy/dx)$ is

- 1. 0
- 2. 1

, 2

Undefined

Question Number : 6 Question Id : 67809416624 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The general solution of $p^2 - 2p \cosh x + 1 = 0$ is

Options:

$$(y-x-c)(y+x-c) = 0$$

$$(y+x-c)(y+2x-c)=0$$

$$(y-e^{x}-c)(y+e^{-x}-c)=0$$

$$(y+e^{-x}-c)(y+e^{x}+c)=0$$

Question Number: 7 Question Id: 67809416625 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of the differential equation $\frac{dy}{dx} - \frac{dx}{dy} = \frac{x}{y} - \frac{y}{x}$ is

Options:

$$(xy-c)(x^2-y^2-c) = 0$$

$$(x-y-c)(x^2-y^2-c)=0$$

$$(x+y-c)(x^2-y^2-c)=0$$

$$(x+y-c)(x^2+y^2-c)=0$$

Question Number: 8 Question Id: 67809416626 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of the equation $p = \sin(y - xp)$, $p = \frac{dy}{dx}$ is

$$x = c y + \sin^{-1} c$$

$$y = cx + \sin^{-1} c$$

$$xy = c y + x \sin^{-1} c$$

$$x = c y + \cos^{-1} c$$

Question Number: 9 Question Id: 67809416627 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

One of the integral solutions of the equation $\frac{dx}{x} = \frac{dy}{z} = \frac{dz}{v}$ is

Options:

$$y^2 - z^2 = c$$

$$_2 x^2 - y^2 = c$$

$$z^2 - x^2 = c$$

$$y^2 + z^2 = c$$

Question Number: 10 Question Id: 67809416628 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of the differential equation $\frac{d^2y}{dx^2} + \frac{dy}{dx} + y = 0$

$$y = e^{x/2} \left(c_1 \cos \frac{\sqrt{3}x^2}{2} + c_2 \sin \frac{\sqrt{3}x^2}{2} \right)$$

$$y = e^{-x^2/2} \left(c_1 \cos \frac{\sqrt{3}x}{2} + c_2 \sin \frac{\sqrt{3}x}{2} \right)$$

$$y = e^{x^2/2} \left(c_1 \cos \frac{\sqrt{3}x}{2} + c_2 \sin \frac{\sqrt{3}x}{2} \right)$$

$$y = e^{-x/2} \left(c_1 \cos \frac{\sqrt{3}x}{2} + c_2 \sin \frac{\sqrt{3}x}{2} \right)$$

Question Number: 11 Question Id: 67809416629 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The C.F. of $(D^3-D)y = \sin x$ is

Options:

Question Number: 12 Question Id: 67809416630 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The homogeneous linear differential equation whose auxiliary equation has roots 1, -1 is

Options:

$$x^2y_2+xy_1=0$$

$$x^2y_2+xy_1+y_1=0$$

$$x^2y_2-xy_1-y_1=0$$

$$x^2y_2+xy_1-y_1=0$$

Question Number: 13 Question Id: 67809416631 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The particular integral of $\frac{1}{D-3}(xe^{4x})$ is

Options:

$$e^{4x}(x-1)$$

$$e^{-4x}(x-1)$$

$$e^{4x}(x+1)$$

$$e^{-4x}(x+1)$$

Question Number: 14 Question Id: 67809416632 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The solution of the differential equation $(D^3 + 4D) y = 5$ is

Options:

$$y = c_1 + c_2 \cos 2x + c_3 \sin 2x + \frac{5x}{4}$$

$$y = c_1 + c_2 \cosh 2x + c_3 \sinh 2x + \frac{5x}{4}$$

$$y = c_1 \cos 2x + c_2 \sin 2x + \frac{5x^2}{4}$$

$$y = c_1 + c_2 \cosh 2x + c_3 \sinh 2x + \frac{5x^2}{4}$$

Question Number: 15 Question Id: 67809416633 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is equal to $\frac{1}{D-2}(2x^2)$?

$$-\log x - x + \frac{1}{2}$$

$$-x^2-x-\frac{1}{2}$$

$$x^2 - x + \frac{1}{2}$$

$$\log x + x + \frac{x^2}{2}$$

Question Number: 16 Question Id: 67809416634 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Particular integral of $(D-1)^2y = e^x \sec^2 x \tan x$ is

Options:

$$e^{x}(\tan x - x)$$

$$\frac{e^x}{2}(\tan x - x)$$

$$\frac{e^x}{2} \tan x$$

Question Number: 17 Question Id: 67809416635 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Solution of
$$(D^2 - 3D + 2)y = e^{3x}$$
 is

$$e^{x}(\tan x - x)$$

$$\frac{e^x}{2}(\tan x - x)$$

$$\frac{e^x}{2} \tan x$$

Question Number: 18 Question Id: 67809416636 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $y = \emptyset(x)$ is a particular solution of $y'' + (\sin x)y' + 2y = e^x$ and $y = \psi(x)$ is a particular solution of $y'' + (\sin x)y' + 2y = \cos 2x$ then particular solution of $y'' + \sin xy' + 2y = e^x + 2\sin^2 x$ is given by

Options:

$$\phi(x) - \psi(x) + \frac{1}{2}$$

$$\psi(x) - \phi(x) + \frac{1}{2}$$

$$\phi(x) - \psi(x) + 1$$

$$\psi(x) - \phi(x) + 1$$

Question Number: 19 Question Id: 67809416637 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Complementary function of $(D^4 - a^4) y = e^x$ is

]

$$c_1 e^{ax} + c_2 e^{-ax} + c_3 \cos ax + c_4 \sin ax$$

$$c_1e^{-ax} + c_2e^{ax} + c_3e^{ax} + c_4\cos ax$$

$$c_1 e^{-ax} + c_2 e^{ax}$$

$$c_1 e^{2x} + c_2 e^{3x} + c_3 \cos ax - c_4 \sin ax$$

Question Number : 20 Question Id : 67809416638 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

A particular integral of $\frac{d^2y}{dx^2} - (a+b)\frac{dy}{dx} + aby = Q(x)$ is [

Options:

$$e^{ax}$$
 $\int \{e^{(a-b)x}(Qe^{bx}dx)\}dx$

$$e^{ax} \int \{e^{(b-a)x} (Qe^{-bx} dx)\} dx$$

$$e^{ax} \int Q e^{bx} dx$$

$$e^{-ax} \int \{e^{(b-a)x} (Qe^{-bx} dx)\} dx$$

Question Number: 21 Question Id: 67809416639 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The remainder obtained by dividing 1!+2!+3!.....+100! by 24 is

Options:

- 1 9
- 2. 3
- 3 0
- 4 1

Question Number: 22 Question Id: 67809416640 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If * is a binary operation in A then

[]

- A is closed under *
- A is not closed under *
- A is not closed under +

A is closed under -		
Question Number: 23 Question Id: 67809416641 Display Question Number: Yes Single Line Question Option Orientation: Vertical	ı:No Op	tion
A monoid is always a	[]
Options: 1. group		
commutative group 2.		
3. non abelian group		
groupoid 4.		
Question Number : 24 Question Id : 67809416642 Display Question Number : Yes Single Line Question Option Orientation : Vertical	ı:No Op	tion
Let G denote the set of all n x n non-singular matrices with rational numbers as e	entries.	Then
under multiplication, G is a/an []		
Options:		
subgroup 1.		
Finite abelian group		
3. Infinite, non abelian group		
4. group		
Question Number : 25 Question Id : 67809416643 Display Question Number : Yes Single Line Question Option Orientation : Vertical	ı:No Op	tion
The product of two odd permutations		
Options:		
1. does not exist		
is an Odd permutation		

is an Even permutation is not a permutation Question Number: 26 Question Id: 67809416644 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** We can express the permutation $\begin{pmatrix} 1 & 2 & 3 & 4 & 5 & 6 \\ 6 & 5 & 2 & 4 & 3 & 1 \end{pmatrix}$ as a disjoint cycle like [**Options:** (1,6)(2,5,3), (1,5)(3,1,2) $_{3.}(6,1)(1,3,1)$ (1,3)(5,3,2) Question Number: 27 Question Id: 67809416645 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** If G is an infinite cyclic group, then G has exactly **Options:** 2 generators 4 generators 1 generator 6 generators Question Number: 28 Question Id: 67809416646 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** and b are any two elements of group G and H is any subgroup of G and if $a \in bH$ then **Options:**

$$Ha = Hb$$

$$_{2}$$
 $Ha \subset Hb$

$$aH = bH$$

$$aH \subset bH$$

Question Number: 29 Question Id: 67809416647 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following statement is correct?

Options:

- 1. Every homomorphism is an isomorphism.
- Every isomorphism is a homomorphism.
- Homomorphism and isomorphism are not related
- Group of isomorphisms are homomorphisms.

Question Number: 30 Question Id: 67809416648 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If N is a normal subgroup of a group G, and $a \in G$ then

Options:

Question Number: 31 Question Id: 67809416649 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

$$\emptyset = x^2 + y^2 + z^2 - 3xyz$$
 then curl(grad \emptyset) is

, (

_{2.} 6x+6y+6z

 $_3$ x+y+z

4.

Question Number: 32 Question Id: 67809416650 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $\bar{r} = xi+yj+zk$ then div $(\bar{r}) =$

Options:

1 3

2. 2

3. 1

4. 0

Question Number : 33 Question Id : 67809416651 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The divergence of $f = 3xz i + 2xy j - yz^2k$ at the point (1, -1, 1) is

Options:

1. 3

2. 9

3. 7

4. 5

Question Number: 34 Question Id: 67809416652 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $\overline{V} = (xyz)i + (3x^2y)j + (xz^2-y^2z)k$ at the point (2, -1, 1), then curl $(\overline{V}) =$

Options:

2i+3j+14k

Question Number : 35 Question Id : 67809416653 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The value of p for which the vector field $\overline{F} = (x+3y)\overline{i} + (y-2z)\overline{j} + (x+pz)\overline{k}$ is

solenoidal is

Options:

- 1. 2
- $_{2} 2$
- 3 1
- 2/3

Question Number: 36 Question Id: 67809416654 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If \overline{F} is a solenoidal vector then $\operatorname{curl}(\operatorname{curl} \overline{F}) =$

Options:

- $1. \nabla^2 \overline{F}$
- , 0
- $_{3.}$ $-\nabla^{2}\overline{F}$
- , F

Question Number: 37 Question Id: 67809416655 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$\varphi = x^2 + y^2 + z^2 - 3xyz$$
 then $curl (grad \varphi) =$

, (

$$x \bar{i} + y \bar{j} + z \bar{k}$$

$$(x-y) \bar{i} + (y-z) \bar{j} + (z-x) \bar{k}$$

$$xy \bar{i} + yz \bar{j} + zx \bar{k}$$

Question Number: 38 Question Id: 67809416656 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If f, g are two scalar point functions then grad (fg) is

Options:

$$_{2}$$
 f grad g + g grad f

Question Number : 39 Question Id : 67809416657 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

$$\nabla^2(\log r) =$$

$$1/r^2$$

$$_{2}$$
 $x+y+z$

$$x^2+y^2+z^2$$

If f(x, y, z) = x + y + z, $g(x, y, z) = x^2 + y^2 + z^2$ and h(x, y, z) = yz + zx + xy, then

 $[\nabla f, \nabla g, \nabla h] =$

Options:

 $_{1}$ -1

2. 1

 $_{3.}\pm 1$

4 0

Question Number: 41 Question Id: 67809416659 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $F(t) = ti+3t^2j$, then $\int_1^2 F(t)dt =$

Options:

2i+3j+k

 $_{2}$ 2i+3/2 j

i+j

3/2 i+7j

Question Number : 42 Question Id : 67809416660 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If $\iint_{S} \overline{F} \cdot \dot{n} \, ds = \iint_{S} \overline{F} \cdot d\overline{s} = \iint_{R} \overline{F} \cdot \dot{n} \frac{dxdy}{|\dot{n} \cdot \overline{K}|}$ then R is

Options:

projection of S in the zx plane

projection of S in the xy plane

projection of S in the yz plane

projection of R in the yz plane

Question Number : 43 Question Id : 67809416661 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

 $\oint_{c} \overline{\mathbf{r}} \cdot d\overline{\mathbf{r}} =$

Options:

- , :
- 2
- , 0
- $_{4}$ -1

Question Number : 44 Question Id : 67809416662 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If \overline{F} is any vector over the sphere $s = x^2 + y^2 + z^2 = 1$ then $\iint_S \text{curl } \overline{F} . \, d\overline{s}$ is


Options:

- 1 1
- , 0
- 3. X
- , 2

Question Number: 45 Question Id: 67809416663 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If \overline{F} = xi+yj+zk and S is the sphere x²+y² +z² =1 then $\int_{s} \overline{F} d\overline{s} =$

- , 0
- 2 π



		- 11
	_	- 1
4		-

Question Number: 49 Question Id: 67809416667 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

$$\iint x dy dx + y dz dx + z dx dy \text{ where S: } x^2 + y^2 + z^2 = a^2 \text{ is } \underline{\qquad}$$

Options:

$$_{3.}4\pi a^{3}$$

Question Number: 50 Question Id: 67809416668 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If
$$\overline{F} = ax\overline{i} + by\overline{j} + cz\overline{k}$$
 a, b, c being constants then $\iint_S \overline{F} \cdot \overline{n} \, ds$ is

$$\frac{4\pi}{2}(a+b+c)$$

$$\frac{\pi}{2}(a+b+c)$$

$$\frac{\pi}{3}(a+b+c)$$

$$\frac{4\pi}{3}(a+b+c)$$

The equation of the plane parallel to x-axis is

Options:

$$_{2}$$
 by+cz+d=0

Question Number: 52 Question Id: 67809416670 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The planes ax+by+cz+d=0 and a¹x+b¹y+c¹z+d¹=0 are parallel, if

Options:

$$\frac{a}{a^{1}} = \frac{b}{b^{1}} = \frac{c}{c^{1}}$$

$$\frac{a}{a^{1}} = \frac{b}{b^{1}} = \frac{d}{d^{1}}$$

$$aa^{1}+bb^{1}+cc^{1}=0$$

$$aa^{1}+bb^{1}+cc^{1}+dd^{1}=0$$

Question Number: 53 Question Id: 67809416671 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Two lines, which do not lie in the same plane, are called

Options:

intersecting

3. co-incident

Question Number: 54 Question Id: 67809416672 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The equation of the plane passing through the point P(2, 3, -1) at right angle to OP is

Options:

$$2x+y-z=14$$

$$_{2}$$
 2x+y-z= -14

$$2x-y+z=14$$

$$2x-y-z=-14$$

Question Number: 55 Question Id: 67809416673 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The distance between the parallel lines $ax + by + cz + d_1 = 0$, $ax + by + cz + d_2 = 0$ is

Options:

$$\frac{|d_1^2 - d_2^2|}{a^2 + b^2 + c^2}, d_1, d_2 < 0$$

$$\int_{0.2}^{|d_1-d_2|} \sqrt{d_1^2+b^2+c^2}$$
, $d_1 < 0$, $d_2 < 0$

$$\frac{|d_1+d_2|}{\sqrt{a^2+b^2+c^2}}$$
, d_1 , $d_2 < 0$

$$\frac{|d_1+d_2|}{\sqrt{a^2-b^2+c^2}}, d_1, d_2 < 0$$

Question Number: 56 Question Id: 67809416674 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The equation of the sphere passing through (0, 0, 0), (a, 0, 0), (0, b, 0), (0, 0, c) is

$$x^2+y^2+z^2+2ax+2by+2cz=0$$

$$_{2}$$
 $x^{2}+y^{2}+z^{2}-2ax-2by-2cz=0$

$$x^2+y^2+z^2-ax-by-cz=0$$

$$x^{2}+y^{2}+z^{2}+ax+by+cz=0$$

Question Number: 57 Question Id: 67809416675 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Two spheres of radii 3 and 4 units cut orthogonally, then the radius of the common

circle is

Options:

$$\frac{5}{1.12}$$

$$\frac{12}{5}$$

$$\frac{13}{3}$$

Question Number: 58 Question Id: 67809416676 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $x^2 + y^2 + z^2 - a^2 = 0$ is a sphere then the pole of the plane lx + my + nz = p $(p \neq 0)$ is

$$\left(\frac{a^2l}{p}, \frac{a^2m}{p}, \frac{a^2n}{p}\right)$$

$$\left(-\frac{a^2l}{p},\frac{a^2m}{p},\frac{a^2n}{p}\right)$$

$$\left(-\frac{a^2l}{p}, -\frac{a^2m}{p}, \frac{a^2n}{p}\right)$$

$$\left(\frac{a^2l}{p}, \frac{a^2m}{p}, -\frac{a^2n}{p}\right)$$

Question Number: 59 Question Id: 67809416677 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The equation of a sphere of radius r which touches the three co-ordinate axes is

Options:

$$x^2+y^2+z^2+\sqrt{2}x+\sqrt{2}y+\sqrt{2}z+r^2=0$$

$$2(x^2+y^2+z^2)+\sqrt{2}x+\sqrt{2}y+\sqrt{2}z+r^2=0$$

$$2(x^2+y^2+z^2)+r\sqrt{2}x+r\sqrt{2}y+r\sqrt{2}z+r^2=0$$

$$x^{2}+y^{2}+z^{2}+r\sqrt{2}x+r\sqrt{2}y+r\sqrt{2}z+r^{2}=0$$

Question Number: 60 Question Id: 67809416678 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The length of the tangent line from the point (3, 1, -1) to the sphere

$$x^2 + y^2 + z^2 - 3x + 5y + 7 = 0$$
 is


Options:

$$\sqrt{14}$$

2. 14

$$\sqrt{12}$$

4. 12



Cauchy's sequence

Question Number: 64 Question Id: 67809416682 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The radius of convergence of $\sum n^m x^n$ is

Options:

- , 0
- , 1
- 3. [∞]
- 4 1

Question Number : 65 Question Id : 67809416683 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If a<0, then $f(x)=e^{ax}+e^{-ax}$ is decreasing for

Options:

- x > 0
- 2. x<0
- 3 X>
- 4. X<1

Question Number: 66 Question Id: 67809416684 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

$$f(x) = |x|$$
 is

- continuous at x = 0
 - not continuous

may or may not be continuous at x = 0

continuous for all values of x

Question Number: 67 Question Id: 67809416685 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The value of c in Cauchy's Mean value theorem for $f(x) = \sqrt{x}$, $g(x) = \frac{1}{\sqrt{x}}$ in [a, b] is

Options:

- , a
- 2 b
- a+b 2
- ₄ √ab

Question Number : 68 Question Id : 67809416686 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

The derivative of x|x| for $x \in R$ is

Options:

- 1. 2x
- -2x
- 3. 2|x|
- 4 X

Question Number: 69 Question Id: 67809416687 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If f is derivable at C, $f(c) \neq 0$ and $\log |f|$ is derivable at C, then $\frac{f'(c)}{f(c)} =$

```
(log|f|)
```

3 (

Question Number: 70 Question Id: 67809416688 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

 $f(x) = \tan x$ is differentiable at every point in

Options:

R

$$R - \{(2n+1)\pi/2\}$$

$$R - \{n\pi/n\epsilon z\}$$

$$_{4.}$$
 R^{T}

Question Number: 71 Question Id: 67809416689 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $f: [a, b] \to R$ and $M=\sup f$, $m=\inf f$, then

$$m(b-a) \le \int_{a}^{b} f \le M(b-a)$$

$$m(b-a) \ge \int_{a}^{b} f \le M(b-a)$$

$$M(b-a) \le \int_{a}^{b} f \le M(b-a)$$

$$m(b-a) \le \int_{a}^{b} f \le M(b-a)$$

Question Number: 72 Question Id: 67809416690 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If f be integrable over E, If Aand B are disjoint measurable sets contained in E,

then
$$\int_{A \cup B} f =$$

Options:

$$\int_{A} f - \int_{B} f$$

$$\int_{2} f + \int_{B} f$$

3. 0

$$\int_{A} f \pm \int_{B} f$$


Question Number: 73 Question Id: 67809416691 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If $f \in R[a, c]$, $f \in R[c, b]$ and a < c < b, then

Options:

$$f \in R[c,c]$$

Question Number: 74 Question Id: 67809416692 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



Question Number: 77 Question Id: 67809416695 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Let $5Z = \{5x : x \in Z\}$ be the ring of 5 multiples of integers. Then the

characteristic of 5Z is

Options:

- 1. 5
- 2.4
- , 1
- 4. 0

Question Number: 78 Question Id: 67809416696 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If f(x) and g(x) are two polynomials, then

Options:

$$\deg(f(x)g(x)) \le \deg f(x), g(x) \ne 0$$

$$\deg(f(x)g(x)) \ge \deg f(x), g(x) \ne 0$$

$$\deg(f(x)g(x)) \ge \deg f(x).\deg g(x), g(x) \ne 0$$

$$\deg(f(x)g(x)) \ge \deg f(x) - \deg g(x), g(x) \ne 0$$

Question Number: 79 Question Id: 67809416697 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The polynomial $f(x) = x^5 + 5$ is

Options:


1 Irreducible over C

Irreducible over R

3. Irreducible over Q Not irreducible over Q Question Number: 80 Question Id: 67809416698 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** The set of all $\alpha \in R$ for which the vectors $(1, \alpha, 0)$, $(0, \alpha^2, 1)$, $(0, 1, \alpha)$ are linearly independent in R^3 is **Options:** $\left\{\alpha\in R:\alpha=0\right\}$ $\left\{\alpha \in R : \alpha \neq 0\right\}$ $\{\alpha \in R : \alpha \neq 1\}$ $\left\{\alpha \in \mathbb{R} : \alpha \neq -1\right\}$ Question Number: 81 Question Id: 67809416699 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** If two vectors are linearly dependent then one of them is the _____ of the other Scalar multiple Vector multiple 3 Multiple 4. finite basis Question Number: 82 Question Id: 67809416700 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** If dim V=n, then n+1 vectors in V are **Options:**

either dependent or independent
Linear independent
3. Multiples of V
Linearly dependent
Question Number: 83 Question Id: 67809416701 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Any two bases of finite dimensional vector space V havenumber of elements.
Options:
Same 1.
2. Finite
Infinite 3.
4. 0
Question Number: 84 Question Id: 67809416702 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Let W be a subspace of a Finite dimensional vector space V, then $\dim \frac{V}{W} =$
Options:
dim V-dimW
dim V
dimW-dimV
4. dimV+dimW

Question Number: 85 Question Id: 67809416703 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



Question Number: 88 Question Id: 67809416706 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

The nullity of the transformation T: $R^2 \to R^3$ defined by T(x,y) = (x + y, x - y, y) is

Options:

- 1. 1
- 2. 2
- 3.0
- 4. 3

Question Number: 89 Question Id: 67809416707 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If a linear transformation $T: \mathbb{R}^2 \to \mathbb{R}^2$ satisfies

$$T(2,5) = (1,0), T(1,3) = (0,1)$$
 then $T(1,1) =$

Options:


- (4,3)
- $_{2}$ (4, -3)
- (-2, -3)
- (2, -3)

Question Number: 90 Question Id: 67809416708 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

If 'r' is a rank of the matrix A_{m×n} then the number of linearly independent

solutions of the linear system AX = 0 is

- n-1
- $_2$ n+r



0 and 1 2 1 and 2 3. 0 and 2 $_{4}$ 1 and -1Question Number: 94 Question Id: 67809416712 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** A necessary and sufficient condition that an n x n matrix A over a field F be diagonalizable is that **Options:** A has n linearly independent characteristic vectors in $V_n(F)$ A has n linearly dependent characteristic vectors in $V_n(F)$ A has n vectors in $V_n(F)$ A has n characteristic roots in $V_n(F)$ Question Number: 95 Question Id: 67809416713 Display Question Number: Yes Single Line Question Option: No Option A square matrix A and its transpose AThave the **Options:** Same Eigen Values Different Eigen Values Different Eigen Vectors Same Eigen vectors

Question Number: 96 Question Id: 67809416714 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Every characteristic value of an isometry has
Options: Equal values 1.
absolute value one
Negative Eigen values
_{4.} zero value
Question Number: 97 Question Id: 67809416715 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
If α , β are two vectors in a unitary space then $\ \alpha + \beta\ ^2 - \ \alpha - \beta\ ^2 =$
Options:
$4 \operatorname{Re} < \alpha, \beta >$
2. Re $< \alpha, \beta >$
Re $< \alpha, \beta >$
4. 0
Question Number: 98 Question Id: 67809416716 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
If a n x n matrix A has n distinct eigen values, then A is
Options:
orthonormal basis
normal basis
Diagonalizable 3.
basis

Question Number: 99 Question Id: 67809416717 Orientation: Vertical	Display Question Number: Yes Single Line Question Option: No Option
If T is a normal, c is a characteristic	e value of T, and W is the characteristic space of c that is
W is the set of all solutions of Tα=c	α, then
Options :	
Both W and W transpose are inva	riant under T
only W is invariant under T	
Only W transpose is invariant und	der T
Either W or W transpose is invar	iant under T.
Question Number: 100 Question Id: 67809416718 Orientation: Vertical	Display Question Number : Yes Single Line Question Option : No Option
The product of two self adjoint op	erators on an inner product space is self adjoint,
if the two operators are	
Options :	
Closure	
2. Additive	
Associative 3.	
Commute 4.	
	Analytical Ability
Number of Questions:	36
Display Number Panel: Group All Questions:	Yes No
•	

Question Number : 101 Question Id : 67809416719 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

If cost price of an article is 120 rupees, then its selling price is

- Demand is more for that Article.
- II. Percentage of profit is 20%.

Options:

- Data given in I alone is sufficient to answer the question
- Data given in II alone is sufficient to answer the question
- Data given in I and II put together is sufficient to answer the question
- Data given in I and II is not sufficient to answer the question

Question Number: 102 Question Id: 67809416720 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

<u>Directions</u>: A question is followed by data in the form of two statements labeled as I and II. Choose the correct option to answer the question.

What is the two-digit number?

- I. The sum of the two digits is 6.
- II. The difference between the two digits is 2.

Options:

- Data given in I alone is sufficient to answer the question
- Data given in II alone is sufficient to answer the question
- Data given in I and II put together is sufficient to answer the question
- Data given in I and II is not sufficient to answer the question

Question Number : 103 Question Id : 67809416721 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

What are the dimensions of a rectangle?

- I. Its area is 12 sq.meters.
- II. Its diagonal is 5 meters.

Options:

- Data given in I alone is sufficient to answer the question
- Data given in II alone is sufficient to answer the question
- Data given in I and II put together is sufficient to answer the question
- Data given in I and II is not sufficient to answer the question

Question Number: 104 Question Id: 67809416722 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

<u>Directions</u>: A question is followed by data in the form of two statements labeled as I and II. Choose the correct option to answer the question.

How old is the son?

- Mother was 22 years when the son was born.
- II. Present age of mother is 60 years.

Options:

- Data given in I alone is sufficient to answer the question
- Data given in II alone is sufficient to answer the question
- Data given in I and II put together is sufficient to answer the question
- Data given in I and II is not sufficient to answer the question

Question Number: 105 Question Id: 67809416723 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Equation of the straight line is

- It is passing through the Origin.
- II. Slope of the line is $\sqrt{3}$.

Options:

- Data given in I alone is sufficient to answer the question
- Data given in II alone is sufficient to answer the question
- Data given in I and II put together is sufficient to answer the question
- Data given in I and II is not sufficient to answer the question

Question Number: 106 Question Id: 67809416724 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

<u>Directions</u>: A question is followed by data in the form of two statements labeled as I and II. Choose the correct option to answer the question.

What is the volume of the cone?

- The height of the cone is 10cm.
- II. The area of its base is 126sq.cm.

Options:

- Data given in I alone is sufficient to answer the question
- Data given in II alone is sufficient to answer the question
- Data given in I and II put together is sufficient to answer the question
- Data given in I and II is not sufficient to answer the question

Question Number: 107 Question Id: 67809416725 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Will it be a Wednesday tomorrow?

- I. It is not Tuesday today.
- II. Coming Wednesday is holiday.

Options:

- Data given in I alone is sufficient to answer the question
- Data given in II alone is sufficient to answer the question
- Data given in I and II put together is sufficient to answer the question
- Data given in I and II is not sufficient to answer the question

Question Number: 108 Question Id: 67809416726 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

<u>Directions</u>: A question is followed by data in the form of two statements labeled as I and II. Choose the correct option to answer the question.


What is the cost of painting a room which is of the form of a cube?

- The base area of the room is 144 sq.ft.
- II. The room has one door of size 6' x 4' and has no windows.

Options:

- Data given in I alone is sufficient to answer the question
- Data given in II alone is sufficient to answer the question
- Data given in I and II put together is sufficient to answer the question
- Data given in I and II is not sufficient to answer the question

Question Number : 109 Question Id : 67809416727 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical



What is the right option to fill up the blank in the series: ABC: ZYX:: EFG:

1. WVU
2. VUT
UTS 3.
4. UVW
Question Number: 112 Question Id: 67809416730 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
What is the right option to fill up the blank in the series: ZYX, WVU,,QPO, NML, KJI
Options: 1. SRT
2. TSR
3. TRS
4. RST
Question Number: 113 Question Id: 67809416731 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
What is the right option to fill up the blank in the series: 3, 15, 35, 63,,143
Options: 1. 80
2. 99
_{3.} 120
4. 131
Question Number: 114 Question Id: 67809416732 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
What is the right option to fill up the blank in the series: 1, 16, 81,, 625
Options:

Options:

1. 256
2. 169
3. 484
4. 225
Question Number: 115 Question Id: 67809416733 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
What is the right option to fill up the blank in the series: 36:5::81:
Options:
1. 9
2. 8
3. 7
4. 11
Question Number: 116 Question Id: 67809416734 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
What is the right option to fill up the blank in the series: EJO, DHL, CFI, BDF,
Options:
1. ABC
2. ACE
3. ABD
4. ABE
Question Number: 117 Question Id: 67809416735 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
What is the right option to fill up the blank in the series: 2, 6, 12, 20,42
Options: 1. 28

2. 34
3. 32
4. 30
Question Number: 118 Question Id: 67809416736 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
What is the right option to fill up the blank in the series: V, S, P, M, G
Options: 1. L
2. K
3. J
4. I
Question Number: 119 Question Id: 67809416737 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Orientation: Vertical What is the right option to fill up the blank in the series: DFI , EGJ , FHK ,
Orientation: Vertical What is the right option to fill up the blank in the series: DFI , EGJ , FHK , Options:
What is the right option to fill up the blank in the series: DFI , EGJ , FHK ,
Orientation: Vertical What is the right option to fill up the blank in the series: DFI , EGJ , FHK , Options:
Orientation: Vertical What is the right option to fill up the blank in the series: DFI , EGJ , FHK , Options: GIM
Orientation: Vertical What is the right option to fill up the blank in the series: DFI, EGJ, FHK, Options: 1. GIM 2. GIL
Orientation: Vertical What is the right option to fill up the blank in the series: DFI, EGJ, FHK, Options: GIM GIL HJN
Orientation: Vertical What is the right option to fill up the blank in the series: DFI, EGJ, FHK, Options: GIM GIL HJN HIM Question Number: 120 Question Id: 67809416738 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical What is the right option to fill up the blank in the series: DFI, EGJ, FHK, Options: GIM GIL HJN HIM Question Number: 120 Question Id: 67809416738 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Orientation: Vertical What is the right option to fill up the blank in the series: DFI, EGJ, FHK, Options: GIM HJN HIM Question Number: 120 Question Id: 67809416738 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical What is the right option to fill up the blank in the series: 0, 7, 26, 63,, 215, 342

3. 125

4 127

Question Id: 67809416739 Sub Question Shuffling Allowed: Yes Group Comprehension Questions: No

Question Numbers: (121 to 127)

The following table gives the details of the production of five different types of cars A,B,C,D and E over the years from

1996 to 2001. Use the data to answer the question:

Type →	A	В	C	D	E	Total
Year↓						
1996	18	23	21	12	40	114
1997	20	18	24	14	35	111
1998	18	21	20	18	42	119
1999	22	26	19	21	44	132
2000	23	30	22	25	48	150
2001	28	34	26	30	52	170

Sub questions


Question Number: 121 Question Id: 67809416740 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical**

In What Type of Cars the percentage increase in production is more from 1998 to 1999?

Options:


2. D

a. E
4. A
Question Number : 122 Question Id : 67809416741 Display Question Number : Yes Single Line Question Option : No Orientation : Vertical
In 1999, which type of Cars constitute approximately 20% of the total number of cars
produced in that year?
Options:
₂ B
3. C
₄ D
Question Number: 123 Question Id: 67809416742 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The Approximate percentage of increase in the total production of cars in the year 2001
over the year 1996 is?
Options:
1. 40%
2. 45%
3. 50%
55%
Question Number: 124 Question Id: 67809416743 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The percentage increase in the Production of cars D from 1996 to 1998 is
Options:
1. 40%
45%



2. 45%
3. 40%
4. 55%
Question Id: 67809416747 Sub Question Shuffling Allowed: Yes Group Comprehension Questions: No Question Numbers: (128 to 130)
Note: In a code the r^{th} letter is shifted to $(27-2r)^{th}$
letter for $r = 1, 2, \dots 13$, the fourteenth letter is
shifted to 26^{th} letter and, for $r = 15, 16, \dots 26,$
the r^{th} letter is shifted to ($2r-28$)th letter.
For decoding the inverse process of the above is followed .
Using this coding and decoding, answer the question:
Sub questions
Question Number : 128 Question Id : 67809416748 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Which letter is coded as P?
Options:
2. D
3. L
4. W
Question Number : 129 Question Id : 67809416749 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Which letter is coded as A?
Options: 1. Y

2. N
3. B
4. M
Question Number: 130 Question Id: 67809416750 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
What is the code for INDICA?
Options:
1. IUMPIL
2. IUPMIL
3. IUPLIM
4. IUPILM
Question Id: 67809416751 Sub Question Shuffling Allowed: Yes Group Comprehension Questions: No Question Numbers: (131 to 135)
Question Id: 67809416751 Sub Question Shuffling Allowed: Yes Group Comprehension Questions: No Question Numbers: (131 to 135) <u>Directions</u> : In a code language TANK is written as SZOL and FRIEND is written as EQHFOE.
Question Numbers: (131 to 135)
Question Numbers : (131 to 135) <u>Directions</u> : In a code language TANK is written as SZOL and FRIEND is written as EQHFOE.
Question Numbers: (131 to 135) <u>Directions</u> : In a code language TANK is written as SZOL and FRIEND is written as EQHFOE. Using the process of coding answer the question:
Question Numbers: (131 to 135) <u>Directions</u> : In a code language TANK is written as SZOL and FRIEND is written as EQHFOE. Using the process of coding answer the question: Sub questions Question Number: 131 Question Id: 67809416752 Display Question Number: Yes Single Line Question Option: No Option
Question Numbers: (131 to 135) Directions: In a code language TANK is written as SZOL and FRIEND is written as EQHFOE. Using the process of coding answer the question: Sub questions Question Number: 131 Question Id: 67809416752 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The code for JNTU is
Question Numbers: (131 to 135) <u>Directions</u> : In a code language TANK is written as SZOL and FRIEND is written as EQHFOE. <u>Using the process of coding answer the question:</u> Sub questions Question Number: 131 Question Id: 67809416752 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Question Numbers: (131 to 135) Directions: In a code language TANK is written as SZOL and FRIEND is written as EQHFOE. Using the process of coding answer the question: Sub questions Question Number: 131 Question Id: 67809416752 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The code for JNTU is Options:
Question Numbers: (131 to 135) Directions: In a code language TANK is written as SZOL and FRIEND is written as EQHFOE. Using the process of coding answer the question: Sub questions Question Number: 131 Question Id: 67809416752 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The code for JNTU is Options: 1. IMSV
Question Numbers: (131 to 135) Directions: In a code language TANK is written as SZOL and FRIEND is written as EQHFOE. Using the process of coding answer the question: Sub questions Question Number: 131 Question Id: 67809416752 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical The code for JNTU is Options: 1. IMSV 2. IMUV




Orientation: Vertical

What is the code for NUMBER?


Options : MLTFCS
MTLCFS
TLMFSC
MLTCFS
Question Number: 136 Question Id: 67809416757 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
If 1st January of 2018 is Monday, then what is the day of 1st January 2019?
Options :
Sunday
Monday
Tuesday
Wednesday
Question Number: 137 Question Id: 67809416758 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The time in the clock is 3.00 PM. If the hours hand is pointing towards West, then the
direction of the minutes hand is
Options :
North
South
South-West
East

Question Number: 138 Question Id: 67809416759 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical



Question Number : 141 Question Id : 67809416762 Display Question Number : Yes Single Line Question Option : No Orientation : Vertical
The ratio of the present ages of a father and his son is 2:1. If the ratio 10 years ago is 5:2
then the present age of the son is
Options:
1. 30
2. 25
3 24
4. 32
Question Number : 142 Question Id : 67809416763 Display Question Number : Yes Single Line Question Option : No Orientation : Vertical
In a row Ajith is 16 th from left and 18 th from right, then total number of persons in the row is
Options:
1. 32
2. 34
3. 31
4. 33
Question Number: 143 Question Id: 67809416764 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A dozen mirrors are falling from certain height. Then the ratio of broken to unbroken
mirrors can not be
Options:
1. 5:1
2. 1:2
3. 3:4
4, 1:3

Question Number: 144 Question Id: 67809416765 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
A man walks 6 km to the east and then turns to the south 2 km. Again he turns to the east
and walks 2 km. Next he turns northwards and walks 8 km. How far is he now from his starting
point?
Options:
1. 18 km
_{2.} 10 km
_{3.} 16 km
4. 12 km
Question Number : 145 Question Id : 67809416766 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
The Number of 3's that preceded by 5 but not followed by 2 in the following sequence of
digits is 3147531245321887538162537531675324
Options:
1. 7
2. 5
3. 4
4. 6
Question Number: 146 Question Id: 67809416767 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
The ratio of two numbers is 4:7. If 14 is added to each number then the ratio become
5:7 . Then the numbers are
Options:
1. 12, 21
2. 20, 35



Which of the following Colour of tie-Company-Person combination is correct?

Options:

Green-R-Nilesh

2. Red-S-Lokesh	
3. Red-T-Dinesh	
Yellow-Q-Sailesh	
Question Number: 149 Question Id: 6780941 Orientation: Vertical	6771 Display Question Number : Yes Single Line Question Option : No Option
Which of the following is corn	ect?
Options:	
Company U sponsors green Ti	ie
2. Shailesh wears Red Tie	
Nilesh works in Company T	
Pink colour is sponsored by co	ompany Q.
Question Number: 150 Question Id: 6780941 Orientation: Vertical	6772 Display Question Number : Yes Single Line Question Option : No Option
Which of the following sequence	e of companies represent tie colours, Pink, Yellow, Green
and Blue respectively?	
Options:	
QPRS	
_{2.} QRPS	
_{3.} PQRS	
4. QSRP	
	Communicative English
Number of Questions: Display Number Panel:	46 Yes
Group All Questions:	Y es No

Question Number: 151 Question Id: 67809416773 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Fill in the blank with the correct article from the given options:
Whatever little money she earns, she spends it on cosmetics.
Options:
1. a
_{2.} an
3. the
4. no article required
Question Number: 152 Question Id: 67809416774 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Fill in the blank with the correct article from the given options:
I have known him since he was child.
Options:
1. a
2. an
3. the
a. no article required
Question Number: 153 Question Id: 67809416775 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Fill in the blank with the appropriate preposition from the given options:
I never wanted to apply a job in my uncle's company.
Options:
1. to

2. about
3. for
4. on
Question Number: 154 Question Id: 67809416776 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Fill in the blank with the appropriate preposition from the given options:
The collector was shocked the rude behavior of the MLA.
Options: 1. at
_{2.} by
3. over
4. on
Question Number: 155 Question Id: 67809416777 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Complete the sentence with the correct form of the verb from the given options:
I him only once in 2010. Options:
have met
had met
has met
4. met

Question Number: 156 Question Id: 67809416778 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Complete the sentence with the correct form of the verb from the given options:
If you me, I would have surely helped you.
Options:
have asked
had asked
3. asked
4. were asked
Question Number: 157 Question Id: 67809416779 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Choose the right option to fill in the blank to change the given sentence from active voice into passive voice:
I did not ask him for any help in the examination hall.
He by me for any help in the examination hall.
Options:
is not asked
has not been asked
had not been asked
was not asked
Question Number: 158 Question Id: 67809416780 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Fill in the blank with the appropriate word from the given options:
Neither the student nor the teacher the answer to this question.
Options:
know

knows 2.
are known
have known
Question Number: 159 Question Id: 67809416781 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Fill in the blank with the appropriate word from the given options:
The fact that many engineering graduates are applying for clerical jobsdistressing.
Options: are
2. is
3. were
have been
Question Number: 160 Question Id: 67809416782 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Choose the correct question tag for the following statement:
She speaks very good English,
Options:
ı. isn't it?
doesn't she?
3. does she
4. is it

 $Question\ Number: 161\ Question\ Id: 67809416783\ Display\ Question\ Number: Yes\ Single\ Line\ Question\ Option: No\ Option\ Orientation: Vertical$

```
Identify the synonym for the word 'affluence':
Options:
, wealth
2. waste water
3. contamination
  influence
Question Number: 162 Question Id: 67809416784 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
Identify the synonym for the word 'eloquent':
Options:
courageous
2. timid
  advantageous
4. fluent
Question Number: 163 Question Id: 67809416785 Display Question Number: Yes Single Line Question Option: No Option
 Identify the antonym for the word 'transparent':
Options:
  remote
  opaque
  belligerent
4. rash
```

Question Number: 164 Question Id: 67809416786 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Identify the antonym for the word 'bless':
Options:
encourage 1.
praise 2.
3. curse
benefit 4.
Question Number : 165 Question Id : 67809416787 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Choose the one word substitute for the given expression:
a planned route or journey
Options:
map 1.
_{2.} agenda
itinerary 3.
4. reservation
Question Number : 166 Question Id : 67809416788 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical
Choose the correct one word substitute for the given expression:
a person who dies for a noble cause
Options:
1. hero
2. sage

3. patriot
4. martyr
Question Number: 167 Question Id: 67809416789 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Choose a prefix/suffix for the word given in the bracket to fill the blank with the right form of the word:
You must cultivate the habit of reading to (rich) your vocabulary.
Options:
1. in-
2. en-
3. em-
4. un-
Question Number: 168 Question Id: 67809416790 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Fill in the blank with the right word:
The reason for the accident is the failure of the car's
Options:
1. breaks
_{2.} brakes
breakings 3.
4. bickering
Question Number: 169 Question Id: 67809416791 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Fill in the bl	ank with the	right word:		
Big	_ farms empl	loy full time	veterinary d	loctors.
Options:				
dreary				
diary 2.				
dairy dairy				
drowsy				
Question Number : 1 Orientation : Vertica	70 Question Id: 67	/809416792 Display	Question Number	: Yes Single Line Question Option : No Option
Fill in the bl	ank with the	right word:		
My brother i	s working as	s a	engineer in	L&T Company.
Options :				
1. sight				
site 2.				
3. slight				
4. cite				
Question Number : 1 Orientation : Vertica	71 Question Id : 67 I	/809416793 Display	Question Number	: Yes Single Line Question Option : No Option
Identify the	part of the s	entence that l	nas a mistak	ce:
She is/ one of	of the best/a	nd the most l	oeautiful/ ac	ctress in India.
1	2	3		4
Options:				
1. 1				

2. 2				
3. 3				
4				
Orientation : Vert	tical			Question Option : No Option
Identify the	e part of the ser	ntence that has a mis	stake:	
The Indian	government is	trying / since 1950	/ to make India / in	dustrially self-reliant.
1		2	3	4
Options :				
1				
2 2				
3. 3				
4				
				Question Option : No Option
Identify th	e part of the s	entence that has a	mistake:	
I was sent/	out of the lab	/ because / I did r	not brought my rec	cord book.
1	2	3	4	
Options :				
2				
3. 3				
4				

Question Number: 174 Question Id: 67809416796 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Iden	tify the part of the	sentence that has a	mistake:	
As t	he crime was prove	d / beyond doubt /	the judge orde	ered / that the accused be hung.
	1	2	3	4
Options 1	:			
2. 2				
3. 3				
4. 4				
Questio Orienta	n Number : 175 Question Id tion : Vertical	: 67809416797 Display Qu	estion Number : Yes	s Single Line Question Option : No Option
Iden	tify the part of the se	entence that has a m	istake:	
Altho	ough I have known h	im/ for a while,/ I s	till cannot bel	ieve / how much stubborn he is.
	1	2	3	4
Options 1.	:			
2. 2				
3. 3				
4. 4				
Questio Orienta	n Number : 176 Question Id tion : Vertical	: 67809416798 Display Qu	estion Number : Yes	s Single Line Question Option : No Option
	ose the correct alter ence:	native to replace th	e <u>italicized ar</u>	<u>nd underlined part</u> to improve the
The	truth have known, f	urther lying is usel	ess.	
Options Wa	s being known			

having been known 2.
had been known
has been known
Question Number: 177 Question Id: 67809416799 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Choose the correct alternative to replace the <u>italicized and underlined part</u> to improve the Sentence:
If you ask him, he would help you.
Options:
can help
could help
will help
should help
Question Number: 178 Question Id: 67809416800 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Choose the correct alternative to replace the <u>italicized and underlined part</u> to improve the Sentence:
I <u>could not be able</u> come to Hyderabad last month owing to my indifferent health.
Options:
would not be able
2. could not
3. would not
should not be able

Question Number: 179 Question Id: 67809416801 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Choose the correct alternative to replace the *italicized* and underlined part to improve the Sentence: It is being a rainy day, we did not go out last Sunday. **Options:** being was being were being are being Question Number: 180 Question Id: 67809416802 Display Question Number: Yes Single Line Question Option: No Option **Orientation: Vertical** Choose the correct alternative to replace the *italicized* and underlined part to improve the Sentence: You are preventing me to do my duty. **Options:** in doing from doing about doing 4. of doing Question Number: 181 Question Id: 67809416803 Display Question Number: Yes Single Line Question Option: No Option Find the meaning of the italicized words:

It's time for me to hit the sack. I'm so tired.

Options:

1. to box
to beat someone
to go to sleep 3.
4. to resign the job
Question Number: 182 Question Id: 67809416804 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical Find the meaning of the italicized words:
If you cry wolf often, people will stop believing you.
Options: invite trouble
give false alarm
_{3.} imitate
shout loudly
Question Number: 183 Question Id: 67809416805 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Fill in the blank with the correct phrasal verb:
You can always him for good advice.
Options: count on 1.
2. count down
3. count in
4. count up

Burglars	my house y	esterday night.	
Options: broke down			
_{2.} broke up			
break away			
broke into			
Question Number : 185 Qu Orientation : Vertical	estion Id : 67809416807 Displa	y Question Number : Yes Single Line Question Option : No Opt	ion
Fill in the blank	with the correct phra	isal verb:	
The fire fighters	were able to	fire in ten minutes.	
Options: put off			
put out			
_{3.} put up			
put on			
0 4 11 (200041 (2022			

Question Number: 184 Question Id: 67809416806 Display Question Number: Yes Single Line Question Option: No Option

Question Id: 67809416808 Sub Question Shuffling Allowed: Yes Group Comprehension Questions: No Question Numbers: (186 to 190)

<u>Directions</u>: To answer the question, read the following passage carefully and choose the correct option:

Bacteria are extremely small living things. While we measure small things in inches or centimeters, bacterial size is measured in microns. One micron is a thousandth of a millimeter. A pinhead is about a millimeter across. Rod shaped bacteria are usually two to four microns long, while rounded ones are generally one micron in diameter and are the smallest. Thus, if you enlarged a rounded bacterium a thousand times, it would be just about the size of a pinhead. An adult human magnified by the same amount would be over a mile (1.6 kilometers) tall.

Even with an ordinary microscope, you must look closely to see bacteria. Using a magnification of 100 times, one finds that bacteria are barely visible as tiny rods or dots. One cannot make out anything of their structure. Using special stains, one can see that some bacteria have attached to them wavy looking "hairs" called flagella. Others have only one flagellum. The flagella rotate, pushing the bacteria though the water. Many bacteria lack flagella and cannot move about by their own power while others can glide along over surfaces by some little understood mechanism.

Sub questions

Question Number: 186 Question Id: 67809416809 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical

Which of the following is the main topic of the passage? **Options:** the characteristics of bacteria , how bacteria reproduce the various functions of bacteria how bacteria contribute to disease Question Number: 187 Question Id: 67809416810 Display Question Number: Yes Single Line Question Option: No Option Bacteria are measured in . **Options:** ınches ₂ centimeters microns 3.

```
millimeters
Question Number: 188 Question Id: 67809416811 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 Which of the following is the smallest?
Options:
a pinhead
a rounded bacterium
3. a microscope
  a rod-shaped bacterium
Question Number: 189 Question Id: 67809416812 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
Many bacteria can not move because they
Options:
lack flagella
have "hairs"
  are blind
   are small
Question Number: 190 Question Id: 67809416813 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 If you want to see bacteria, you shall use
Options:
1. Pinhead
  Telescope
```

Flagella 3.				
Microscope 4.				
Question Number : 191 Orientation : Vertical	Question Id : 67809416814	Display Question Number :	Yes Single Line Question Option	on : No Option
Choose the comeaningful.	rrect option to arrai	nge the words in th	ne jumbled sentence	to make it
and still loves A	you / who knows / B	a friend is some o	ne / all about you D	
Options :				
L CADB				
_{2.} DCBA				
_{3.} DBAC				
4. CBDA				
Question Number: 192 Orientation: Vertical	Question Id: 67809416815	Display Question Number :	Yes Single Line Question Option	on : No Option
Choose the comeaningful:	rrect option to rearr	range the words in	the jumbled sentence	e to make it
The second secon	are angry / sixty se 3	conds of happiness	s / for every minute D	
Options :				
_{1.} DBAC				
_{2.} BADC				
CBDA				
4. CBAD				

Question Number: 193 Question Id: 67809416816 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Choose the correct option to rearrange the words in the jumbled sentence to make it
meaningful:
can chew / you / more than / do not bite
A B C D
Options:
1. CBDA
_{2.} BADC
3. DCBA
4. CBDA
Question Number: 194 Question Id: 67809416817 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Choose the correct option to rearrange the words in the jumbled sentence to make it meaningful:
like the wind / you cannot see it / love is / you can feel it /
A B C D
Options:
1. DBAC
_{2.} DACB
3. CABD
4. BDAC
Question Number : 195 Question Id : 67809416818 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Choose the correct option to rearrange the words in the jumbled sentence to make it meaningful:
to join / he ran away / the cinemas / from home
A B C D
Options: 1. DBCA
_{2.} BDCA
3. BDAC
4. ADCB
Question Number: 196 Question Id: 67809416819 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Choose the correct option to show the function of the following sentence:
If I were you, I would not take a loan from a private bank.
Options: requesting 1.
advising 2.
apologizing 3.
commanding 4.
Question Number: 197 Question Id: 67809416820 Display Question Number: Yes Single Line Question Option: No Option Orientation: Vertical
Choose the correct option to show the function of the following sentence:
May I sit here for an hour?
Options: requesting 1.

```
seeking permission
  apologizing
  commanding
Question Number: 198 Question Id: 67809416821 Display Question Number: Yes Single Line Question Option: No Option
Orientation: Vertical
 Choose the correct option to show the function of the following sentence:
 Could I borrow a pen, please.
Options:
  requesting
2 seeking permission
  apologizing
  commanding
Question Number: 199 Question Id: 67809416822 Display Question Number: Yes Single Line Question Option: No Option
 Choose the correct option to show the function of the following sentence:
 Switch of your mobiles when you come into my office.
Options:
  warning
  advising
  commanding
  requesting
```

Question Number : 200 Question Id : 67809416823 Display Question Number : Yes Single Line Question Option : No Option Orientation : Vertical

Choose the correct option to show the function of the following sentence:

You have very pleasant manners.

Options:

requesting

 $_{2}$ commanding

3. advising

complimenting