

GATE 2021 Answer Key for Mining Engineering (MN)

Graduate Aptitude Test in Engineering (GATE 2021)

Answer Keys and Marks for Subject/Paper: Mining Engineering (MN)

Q. No.	Session	Question Type MCQ/MSQ/NAT	Section Name	Answer Key/Range	Marks	Negative Marks
1	2	MCQ	GA	B	1	1/3
2	2	MCQ	GA	B	1	1/3
3	2	MCQ	GA	D	1	1/3
4	2	MCQ	GA	D	1	1/3
5	2	MCQ	GA	C	1	1/3
6	2	MCQ	GA	C	2	2/3
7	2	MCQ	GA	A	2	2/3
8	2	MCQ	GA	B	2	2/3
9	2	MCQ	GA	C	2	2/3
10	2	MCQ	GA	D	2	2/3
1	2	MCQ	MN	D	1	1/3
2	2	MCQ	MN	C	1	1/3
3	2	MCQ	MN	D	1	1/3
4	2	MCQ	MN	A	1	1/3
5	2	MCQ	MN	B	1	1/3
6	2	MCQ	MN	B	1	1/3
7	2	MCQ	MN	C	1	1/3
8	2	MCQ	MN	D	1	1/3
9	2	MCQ	MN	A	1	1/3
10	2	MCQ	MN	D	1	1/3

GATE 2021 Answer Key for Mining Engineering (MN)

Q. No.	Session	Question Type MCQ/MSQ/NAT	Section Name	Answer Key/Range	Marks	Negative Marks
11	2	MCQ	MN	B	1	1/3
12	2	MCQ	MN	B	1	1/3
13	2	MCQ	MN	C	1	1/3
14	2	MCQ	MN	A	1	1/3
15	2	MCQ	MN	A	1	1/3
16	2	MCQ	MN	D	1	1/3
17	2	MCQ	MN	A	1	1/3
18	2	MCQ	MN	C	1	1/3
19	2	MCQ	MN	B	1	1/3
20	2	NAT	MN	14.00 to 15.00	1	0
21	2	NAT	MN	5.000 to 5.200	1	0
22	2	NAT	MN	999 to 1005	1	0
23	2	NAT	MN	10.40 to 10.40	1	0
24	2	NAT	MN	0.918 to 0.938	1	0
25	2	NAT	MN	0.45 to 0.50	1	0
26	2	MCQ	MN	C	2	2/3
27	2	MCQ	MN	A	2	2/3
28	2	MCQ	MN	B	2	2/3
29	2	MCQ	MN	B	2	2/3
30	2	MCQ	MN	A	2	2/3
31	2	MCQ	MN	C	2	2/3
32	2	MCQ	MN	A	2	2/3
33	2	MCQ	MN	D	2	2/3

GATE 2021 Answer Key for Mining Engineering (MN)

Q. No.	Session	Question Type MCQ/MSQ/NAT	Section Name	Answer Key/Range	Marks	Negative Marks
34	2	MCQ	MN	D	2	2/3
35	2	MCQ	MN	B	2	2/3
36	2	MCQ	MN	C	2	2/3
37	2	NAT	MN	35.50 to 38.30	2	0
38	2	NAT	MN	1.20 to 1.35	2	0
39	2	NAT	MN	22.5 to 24.0	2	0
40	2	NAT	MN	83450 to 83550	2	0
41	2	NAT	MN	50.00 to 55.00	2	0
42	2	NAT	MN	9 to 11	2	0
43	2	NAT	MN	1250 to 1350	2	0
44	2	NAT	MN	71.00 to 75.00	2	0
45	2	NAT	MN	92.0 to 96.0	2	0
46	2	NAT	MN	57.00 to 59.80	2	0
47	2	NAT	MN	9.00 to 11.00	2	0
48	2	NAT	MN	2.20 to 2.30	2	0
49	2	NAT	MN	6.0 to 6.0	2	0
50	2	NAT	MN	5 to 5	2	0
51	2	NAT	MN	35.0 to 38.0	2	0
52	2	NAT	MN	112000 to 112000	2	0
53	2	NAT	MN	6.0 to 6.0	2	0
54	2	NAT	MN	1.80 to 2.00	2	0
55	2	NAT	MN	0.045 to 0.055	2	0