LABHO

No.: 7703977

This Booklet contains 28 pages.

Do not open this Test Booklet until you are asked to do so.

Important Instructions:

 The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with blue/black ball point pen only.

2. The test is of 3 hours 20 minutes duration and the Test Booklet contains 200 multiple-choice questions (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology) 50 questions in each subject are divided into two Sections (A and B) as per details given below:

(a) Section A shall consist of 35 (Thirty-five) Questions in each subject (Question Nos 1 to 35, 51 to 85,

101 to 135 and 151 to 185). All questions are compulsory.

(b) Section B shall consist of 15 (Fifteen) questions in each subject (Question Nos = 36 to 50, 86 to 100, 136 to 150 and 186 to 200). In Section B, a candidate needs to attempt any 10 (Ten) questions out of 15 (Fifteen) in each subject.

Candidates are advised to read all 15 questions in each subject of Section B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.

 Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.

Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on Answer Sheet.

5. Rough work is to be done in the space provided for this purpose in the Test Booklet only.

 On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.

The CODE for this Booklet is Q6. Make sure that the CODE printed on the Original Copy of the Answer Sheet
is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to
the Invigilator for replacement of both the Test Booklet and the Answer Sheet.

The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.

Use of white fluid for correction is NOT permissible on the Answer Sheet.

10. Each candidate must show on-demand his/her Admit Card to the Invigilator.

11. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.

12. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.

Use of Electronic/Manual Calculator is prohibited.

The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the
Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this
examination.

15. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.


The candidates will write the Correct Test Booklet Code as given in the Test Booklet / Answer Sheet in the Attendance Sheet


 Compensatory time of one hour five minutes will be provided for the examination of three hours and 20 minutes duration, whether such candidate (having a physical limitation to write) uses the facility of scribe or not.


Name of the Candidate (in Capitals)	MADAF
Roll Number : in figures 270408045	
: in words RATIV GANI	DHI VIDYALAYA
Candidate's Signature: T.d. Na da In	nvigilator's Signature :
Facsimile signature stamp of Centre Superintendent :	


Section - A (Physics)

 The graph which shows the variation of the de Broglie wavelength (λ) of a particle and its associated momentum (p) is:









- As the temperature increases, the electrical resistance:
 - (1) increases for both conductors and semiconductors
 - (2) decreases for both conductors and semiconductors
 - (3) increases for conductors but decreases for semiconductors
 - (4) decreases for conductors but increases for semiconductors
- Let T₁ and T₂ be the energy of an electron in the first and second excited states of hydrogen atom, respectively. According to the Bohr's model of an atom, the ratio T₁ | T₂ is :
 - (1) 1:4
 - ·(2) 4:1
 - (3) 4:9
 - (4) 9:4

- Two objects of mass 10 kg and 20 kg respectively are connected to the two ends of a rigid rod of length 10 m with negligible mass. The distance of the center of mass of the system from the 10 kg mass is:
 - (1) $\frac{10}{3}$ m
 - (2) $\frac{20}{3}$ m
 - (3) 10 m (4) 5 m
- The ratio of the distances travelled by a freely falling body in the 1³⁴, 2nd, 3rd and 4th second:
 - (1) 1:2:3:4
 - (2) 1:4:9:16
 - #(3)
 1:3:5:7
 - (4) 1:1:1:1
- The ratio of the radius of gyration of a thin uniform disc about an axis passing through its centre and normal to its plane to the radius of gyration of the disc about its diameter is:
 - (1) 2:1
 - e(2) √2:1
 - (3) 4:1

1: 12

(4)

- The angular speed of a fly wheel moving with uniform angular acceleration changes from 1200 rpm to 3120 rpm in 16 seconds. The angular acceleration in rad/s² is:
 - (1) 277
 - (2) 4π
 - (3) 12m
 - (4) 104#
- 8. An ideal gas undergoes four different processes from the same initial state as shown in the figure below. Those processes are adiabatic, isothermal, isobaric and isochoric. The curve which represents the adiabatic process among 1, 2, 3 and 4 is:



- (1)
- (2)
- (3) 3
- (4) 4

- 9. Two hollow conducting spheres of radii R, and R2 (R₁≥≥R₂) have equal charges. The potential would bo:
 - (1) more on bigger sphere
 - (2)more on smaller sphere
 - (3)equal on both the spheres
 - (4)dependent on the material property of the sphere
- When light propagates through a material medium 10. of relative permittivity e, and relative permeability is, the velocity of light, v is given by : (c - velocity of light in vacuum)
 - p = e(1)

(2)
$$v = \sqrt{\frac{\mu_r}{\epsilon_r}}$$

(3)
$$v = \sqrt{\frac{\kappa_{\ell}}{\mu_{\star}}}$$

(4)
$$v = \frac{c}{\sqrt{\epsilon_s \mu_s}}$$

- 11. A long solenoid of radius 1 mm has 100 turns per mm. If 1 A current flows in the solenoid, the magnetic field strength at the centre of the solenoid. 161
 - (1)6.28 × 10 ° 2 T
 - (2)
 - (3)
- 6.28 × 10⁻² T 12.56 × 10⁻² T 12.56 × 10⁻⁴ T 6.28 × 10⁻⁴ T (4)
- 12. The peak voltage of the ac source is equal to
 - (1)the value of voltage supplied to the circuit
 - (2)the rms value of the ac source
 - (3) J2 times the rms value of the ac source
 - (4) $1/\sqrt{2}$ times the rms value of the ac source
- An electric lift with a maximum load of 2000 kg (lift + passengers) is moving up with a constant speed of 1.5 ms -1. The frictional force opposing the motion is 3000 N. The minimum power delivered by the motor to the lift in watts is : $(g = 10 \text{ ms}^{-2})$
 - (1)23000
 - (2)20000
 - (3)34500
 - (4)23500

- 14. In a Young's double slit experiment, a student observes 8 fringes in a certain segment of screen when a monochromatic light of 600 nm wavelength is used. If the wavelength of light is changed to 400 nm, then the number of fringes he would observe in the same region of the screen is:
 - (1)
 - (2)
 - (3)9
 - (4)12




- 15. A copper wire of length 10 m and radius $(10^{-2}/\sqrt{\pi})$ m has electrical resistance of 10Ω . The current density in the wire for an electric field strength of 10 (V/m) is:
 - 104 A/m2
 - 106 A/m²
 - 10-5 A/m2
 - 105 A/m2



- The dimensions [MLT-2A-2] belong to the 16.
 - (I)magnetic flux
 - (2)self inductance
 - (3)magnetic permeability
 - (4)electric permittivity
- 17. If the initial tension on a stretched string is doubled, then the ratio of the initial and final speeds of a transverse wave along the string is:
 - (1)111
 - $\sqrt{2}:1$ (2)
 - 1 1 /2 · (3)
 - (4)1:2
- 18. In half wave rectification, if the input frequency is 60 Hz, then the output frequency would be:
 - (1)zero
 - (2)30 Hz
 - (3)60 Hz
 - (4)120 Hz

 The displacement-time graphs of two moving particles make angles of 30° and 45° with the x-axis as shown in the figure. The ratio of their respective velocity is:



- A square loop of side 1 m and resistance 1 Ω is placed in a magnetic field of 0.5 T. If the plane of loop is perpendicular to the direction of magnetic field, the magnetic flux through the loop is:
 - 2 weber

(1)

(2)

(3)

a (4)

- (2) 0.5 weber
- (3) 1 weber
- (4) zero weber
- The energy that will be ideally radiated by a 100 kW transmitter in 1 hour is:
 - (1) 36×10⁷ J
 - (2) 36 × 10⁴ J
 - (3) 36×10⁵ J (4) 1×10⁵ J
- 22. A body of mass 60 g experiences a gravitational force of 3.0 N, when placed at a particular point. The

magnitude of the gravitational field intensity at that

(1) 0.05 N7kg

point is:

- (2) 50 N/kg
- (3) 20 N/kg
- (4) 180 N/kg
- 23. Match List I with List II

7	List-1	List - II			
(Elec	(Electromagnetic waves)		(Wavelength)		
(a)	AM radio waves	(i)	10 = 10 m		
(b)	Microwaves	(ii)	10 ² m		
(c)	Infrared radiations	(iii)	10-2 m		
(d)	X-rays	(iv)	10 ⁻⁴ m		

Choose the correct answer from the options given below:

- (1) (a) (iv), (b) (iii), (c) (ii), (d) (i)
- (2) (a) (iii), (b) (ii), (c) (i), (d) (iv)
- (3) (a) (iii), (b) (iv), (c) (ii), (d) (i)
- (4) (a) (ii), (b) (iii), (c) (iv), (d) (i)

- 24. A shell of mass m is at rest initially. It explodes into three fragments having mass in the ratio 2:2:1. If the fragments having equal mass fly off along mutually perpendicular directions with speed v, the speed of the third (lighter) fragment is:
 - (1)

(4)

- (2) √2 v
- (3) 2√2 v
- 25. A biconvex lens has radii of curvature, 20 cm each. If the refractive index of the material of the lens is 1.5, the power of the lens is:
 - (1) +2D
 - (2) + 20 D
 - (3) +5D
 - (4) infinity
- 26. Given below are two statements :

Statement I:

Biot-Savart's law gives us the expression for the magnetic field strength of an infinitesimal current element (IdI) of a current carrying conductor only.

Statement II:

Biot-Savart's law is analogous to Coulomb's inverse square law of charge q, with the former being related to the field produced by a scalar source, Idl while the latter being produced by a vector source, q. In light of above statements choose the most

- appropriate answer from the options given below:
- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct and Statement II is incorrect
- (4) Statement I is incorrect and Statement II is correct
- 27. In the given nuclear reaction, the element X is:

$$^{22}_{11}Na \rightarrow X + e^+ + \nu$$

- (I) 23Na
- (2) 23Ne
- (3) 22₁₀Ne
- (4) 22₁₂Mg
- 28. Plane angle and solid angle have :
 - (1) Units but no dimensions
 - (2) Dimensions but no units
 - (3) No units and no dimensions
 - (4) Both units and dimensions

mass m is at rest initially. It explodes into ments having mass in the ratio 2:2:1. If ients having equal mass fly off along perpendicular directions with speed v, the e third (lighter) fragment is:

lens has radii of curvature, 20 cm each. tive index of the material of the lens is er of the lens is:

are two statements:

law gives us the expression for the d strength of an infinitesimal current of a current carrying conductor only.

aw is analogous to Coulomb's inverse harge q, with the former being related oduced by a scalar source, Idl while g produced by a vector source, q. bove statements choose the most answer from the options given

stement I and Statement II are correct tatement I and Statement II are

ent I is correct and Statement II is

ent I is incorrect and Statement II is

clear reaction, the element X is:

solid angle have: no dimensions ns but no units and no dimensions s and dimensions

- The angle between the electric lines of force and the equipotential surface is:
 - (1)
 - (2)
 - 90° 4(3)
 - (4)180*

45"

- A light ray falls on a glass surface of refractive index √3, at an angle 60°. The angle between the refracted and reflected rays would be:

 - 60°
 - (3)90°

31.

(4)120"

(a) N P

In the given circuits (a), (b) and (c), the potential drop across the two p-n junctions are equal

- (1)Circuit (a) only
- Circuit (b) only (2)
- Circuit (c) only (3)
- Both circuits (a) and (c)
- A spherical ball is dropped in a long column of a highly viscous liquid. The curve in the graph shown, which represents the speed of the ball (v) as a function of time (t) is:



- C
- D (4)

332 Two resistors of resistance, 100 ft and 200 ft are connected in parallel in an electrical circuit. The ratio of the thermal energy developed in 100 Ω to that in 200 ft in a given time in

- . (1)
- (2)

- When two monochromatic lights of frequency, and are incident on a photoelectric metal, their


stopping potential becomes $\frac{V_0}{2}$ and V_a respectively The threshold frequency for this metal is:

- (1)
- (2)

- If a soap bubble expands, the pressure inside the bubble:
 - (1)decreases
 - (2)increases
 - (3)remains the same
 - is equal to the atmospheric pressure

Section - B (Physics)


Two point charges -q and +q are placed at a distance of L, as shown in the figure.



The magnitude of electric field intensity at a distance R (R>>L) varies as:

38.

- The area of a rectangular field (in m²) of length 55.3 m and breadth 25 m after rounding off the value for correct significant digits is:
 - 138 × 10¹
 - (2) 1382
 - (3) 1382.5
 - (4) 14×10²



The truth table for the given logic circuit is:

	٨	В	C		
	0	0	0		
	0	0 1 0 1	1		
1)	1	0	1		
	1	1	0		
	Λ	0 1 0	C		
	0	0	-1		
***	0	1	0		
(1)	0 0 1	0	0		
	1	1	0 0 1		
	Α	13	C 1 0 1 0		
	0	0 1 0 1	1		
20	0	1	0		
3)	1	0	1		
	1	1	0		
	A	В	C	1	
	0	0.	0		
141	0	1	1		
(4)	1	0 1 0	0		
	1	1	1		

 Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):

The stretching of a spring is determined by the shear modulus of the material of the spring.

Reason (R):

A coil spring of copper has more tensile strength than a steel spring of same dimensions.

In the light of the above statements, choose the most appropriate answer from the options given below:

- Both (A) and (R) are true and (R) is the correct explanation of (A)
- ✓ (2) Both (A) and (R) are true and (R) is not the correct explanation of (A)
 - (3) (A) is true but (R) is false
 - (4) (A) is false but (R) is true

- From Ampere's circuital law for a long straight wire
 of circular cross-section carrying a steady current,
 the variation of magnetic field in the inside and
 outside region of the wire is:
 - uniform and remains constant for both the regions.
 - (2) a linearly increasing function of distance upto the boundary of the wire and then linearly decreasing for the outside region
 - (3) a linearly increasing function of distance r upto the boundary of the wire and then decreasing one with 1/r dependence for the outside region.
 - (4) a linearly decreasing function of distance upto the boundary of the wire and then a linearly increasing one for the outside region.
 - A series LCR circuit with inductance 10 H, capacitance 10 μF, resistance 50 Ω is connected to an ac source of voltage, V = 200 sin(100 t) volt. If the resonant frequency of the LCR circuit is v_o and the frequency of the ac source is v, then:

(1)
$$v_0 = v = 50 \,\text{Hz}$$

(2)
$$v_{\sigma} = v = \frac{50}{\pi} \text{ Hz}$$

(3)
$$v_{\pi} = \frac{50}{\pi} \text{ Hz}, v = 50 \text{ Hz}$$

(4)
$$v = 100 \text{ Hz}$$
; $v_u = \frac{100}{\pi} \text{ Hz}$

42. Match List - I with List - II:

(a)	Gravitational constant (G)	(i)	[L2T-2]


(b) Gravitational (ii) [M⁻¹L³T⁻²] potential energy

List. II

- (c) Gravitational (iii) [LT-2]
- (d) Gravitational (iv) [ML²T⁻²] intensity

Choose the correct answer from the options given below:


- 43. Two pendulums of length 121 cm and 100 cm start vibrating in phase. At some instant, the two are at their mean position in the same phase. The minimum number of vibrations of the shorter pendulum after which the two are again in phase at the mean position is:
 - (1) 11
 - (2) 9
 - (3) 10
 - (4) 8
- 44. A big circular coil of 1000 turns and average radius 10 m is rotating about its horizontal diameter at 2 rad s⁻¹. If the vertical component of earth's magnetic field at that place is 2×10⁻⁵ T and electrical resistance of the coil is 12.56 Ω, then the maximum induced current in the coil will be:
 - (1) 0.25 A
 - (2) 1.5 A
 - (3) 1 A
 - (4) 2 A
- 45. A capacitor of capacitance C = 900 pF is charged fully by 100 V battery B as shown in figure (a). Then it is disconnected from the battery and connected to another uncharged capacitor of capacitance C = 900 pF as shown in figure (b). The electrostatic energy stored by the system (b) is:



- a(1) 4.5×10 1
- (2) 3.25 × 10⁻⁶ J
- (3) 2.25 × 10⁻⁶ J
- (4) 1.5×10⁻⁶ J
- A nucleus of mass number 189 splits into two nuclei having mass number 125 and 64. The ratio of radius of two daughter nuclei respectively is:
- (1) 1 1
- (2) 4:5
- (3) 5 i 4
- (4) 25:16

65

 A wheatstone bridge is used to determine the value of unknown resistance X by adjusting the variable resistance Y as shown in the figure. For the most precise measurement of X, the resistances P and Q.





- (1) should be approximately equal to 2X
- (2) should be approximately equal and are small >
- , (3) should be very large and unequal
 - (4) do not play any significant role
- 48. The volume occupied by the molecules contained in 4.5 kg water at STP, if the intermolecular forces vanish away is:
 - (1) 5.6 × 10⁶ m³
 - (2) 5.6 × 10³ m³
 - (3) 5.6 × 10 3 m³
 - (4) 5.6 m³
- A ball is projected with a velocity, 10 ms⁻¹, at an angle of 60° with the vertical direction. Its speed at the highest point of its trajectory will be
 - (1) Zero
 - (2) 5√3 ms⁻¹

10

- ≠(3) 5 ms⁻¹
 - (4) 10 ms⁻¹
- Two transparent media A and B are separated by a plane boundary. The speed of light in those media are 1.5 × 10⁸ m/s and 2.0 × 10⁸ m/s, respectively. The critical angle for a ray of light for these two media is:
 - (1) sin-1(0.500)
 - (2) $\sin^{-1}(0.750)$
 - (3) tan-1(0.500)
 - (4) tan-1 (0.750)

Section - A (Chemistry)

- Gadolinium has a low value of third ionisation enthalpy because of
 - (1) small size
 - (2) high exchange enthalpy
 - (3) high electronegativity
 - (4) high basic character
- Which one is not correct mathematical equation for Dalton's Law of partial pressure ? Here p = total pressure of gaseous mixture
 - (1) $p = p_1 + p_2 + p_3$

(2)
$$p = n_1 \frac{RT}{V} + n_2 \frac{RT}{V} + n_3 \frac{RT}{V}$$

(3) $p_i = \chi_i p_i$, where $p_i = p_{artial}$ pressure of i^{th} gas

χ_i = mole fraction of ith gas in gaseous mixture

(4) $p_i = \chi_i p_i^0$, where $\chi_i = \text{mole fraction of } i^{th}$ gas in gaseous mixture

p_i⁰ = pressure of ith gas in pure state

 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):

In a particular point defect, an ionic solid is electrically neutral, even if few of its cations are missing from its unit cells.

Reason (R):

In an ionic solid, Frenkel defect arises due to dislocation of cation from its lattice site to interstitial site, maintaining overall electrical neutrality.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (I) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct
- The pH of the solution containing 50 mL each of 0.10 M sodium acetate and 0.01 M acetic acid is [Given pK_a of CH₃COOH = 4.57]
 - (1) 5.57
 - (2) 3.57
 - (3) 4.57
 - (4) 2.57

- 55. Identify the incorrect statement from the following
 - Alkali metals react with water to form their hydroxides.
 - (2) The oxidation number of K in KO2 is +4.
 - (3) Ionisation enthalpy of alkali metals decreases from top to bottom in the group.
 - Lithium is the strongest reducing agent among the alkali metals.
- 56. Given below are two statements:

Statement 1:

The acidic strength of monosubstituted nitrophenol is higher than phenol because of electron withdrawing nitro group.

Statement II:

o-nitrophenol, m-nitrophenol and p-nitrophenol will have same acidic strength as they have one nitro group attached to the phenolic ring.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- Statement I is incorrect but Statement II is correct.
- What mass of 95% pure CaCO₃ will be required to neutralise 50 mL of 0.5 M HCl solution according to the following reaction?

 $CaCO_{3(s)} + 2HCl_{(acj)} \rightarrow CaCl_{2(acj)} + CO_{2(g)} + 2H_2O_{(l)}$ [Calculate upto second place of decimal point]

0.5 (# , m

- (1) 1.25 g
- (2) 1.32 g
- (3) 3.65 g
- •(4) 9.50 g
- The IUPAC name of an element with atomic number
 ia
 - (1) ununennium
 - (2) unnilennium
 - (3) unununnium
 - (4) ununoctium
- 59. Choose the correct statement
 - Diamond and graphite have two dimensional network.
 - (2) Diamond is covalent and graphite is ionic.
 - (3) Diamond is sp³ hybridised and graphite is sp² hybridized.
 - (4) Both diamond and graphite are used as dry lubricants.

60. Given below are two statements:

Statement 1:

In the coagulation of a negative sol, the flocculating power of the three given ions is in the order -

$$AI^{3+} > Ba^{2+} > Na^{+}$$


Statement II:

In the coagulation of a positive sol, the flocculating power of the three given salts is in the order -

In the light of the above statements, choose the most appropriate answer from the options given below:

- . (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- (4) Statement I is incorrect but Statement II is correct.

Which of the following p-V curve represents maximum work done?



62. Given below are two statements

Statement I:

Primary aliphatic amines react with HNO₂ to give unstable diazonium salts.

Statement II:

Primary aromatic amines react with HNO₂ to form diazonium salts which are stable even above 300 K

In the light of the above statements, choose the most appropriate answer from the options given below

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- , (3) Statement I is correct but Statement II is incorrect.
- (4) Statement I is incorrect but Statement II is correct.

63. Which amongst the following is incorrect statement?

- The bond orders of O₂⁺, O₂, O₂⁻ and O₂⁻⁻ are 2.5, 2, 1.5 and 1, respectively.
- (2) C₂ molecule has four electrons in its two degenerate π molecular orbitals.
- (3) Ht ion has one electron.
- (4) O₂⁺ ion is diamagnetic.

64.
$$RMgX + CO_2 \xrightarrow{dry} Y \xrightarrow{H_3O^*} RCOOH$$

What is Y in the above reaction?

- (1) RCOO⁻Mg⁺X
- (2) R₃CO⁻Mg⁺X
- (3) RCOO⁻X⁺
- (4) (RCOO)₅Mg
- 65. Which statement regarding polymers is not correct?
 - Elastomers have polymer chains held together by weak intermolecular forces.
 - Fibers possess high tensile strength.
 - (3) Thermoplastic polymers are capable of repeatedly softening and hardening on heating and cooling respectively.
 - (4) Thermosetting polymers are reusable.

Given below are half cell reactions:

$$MnO_4^- + 8 H^+ + 5 e^- \rightarrow Mn^{2+} + 4 H_2O$$
,
 $E_{Mn^{2+}/MnO_4^+}^+ = -1.510 V$

$$\frac{1}{2}$$
 O₂ + 2 H⁺ + 2 e⁻ \rightarrow H₂O,

$$E_{O_2/H_2O} = + 1.223 \text{ V}$$

Will the permanganate ion, MnO_4^- liberate O_2 from water in the presence of an acid ?

- Yes, because E_{cell} = +0.287 V
- (2) No, because E_{cell} = −0.287 V
- (3) Yes, because E_{cell} = +2.733 V
- (4) No, because E^{*}_{cell} = −2.733 V

67. The Kjeldahl's method for the estimation of nitrogen can be used to estimate the amount of nitrogen in which one of the following compounds?







68. The incorrect statement regarding enzymes is:

- (1) Enzymes are biocatalysts.
- Like chemical catalysts enzymes reduce the activation energy of bio processes.
- (3) Enzymes are polysaccharides.
- (4) Enzymes are very specific for a particular reaction and substrate.

 The IUPAC name of the complex-[Ag(H₂O)₂][Ag(CN)₂] is:

- (1) dicyanidosilver(II) diaquaargentate(II)
- (2) diaquasilver(II) dicyanidoargentate(II)
 - dicyanidosilver(I) diaquaargentate(I)
 - (4) diaquasilver(I) dicyanidoargentate(I)

70. Match List - I with List - IL

List - I List - II (Drug class) (Drug molecule)

- (a) Antacids (i)
- (i) Salvarsan

Morphine

- (b) Antihistamines (ii)
- (c) Analgesics (iii) Cimetidine
- (d) Antimicrobials (iv) Seldane Choose the correct answer from the options given below:
- (1) (a) (iii), (b) (ii), (c) (iv), (d) (i)
- (2) (a) (iii), (b) (iv), (c) (ii), (d) (i)
- (3) (a) (i), (b) (iv), (c) (ii), (d) (iii)
- (4) (a) (iv), (b) (iii), (c) (i), (d) (ii)

 Amongst the following which one will have maximum 'lone pair -lone pair' electron repulsions?

- (1) CIF₃
- (2) IF₅
- (3) SF₄
- (4) XeF₂

72. At 298 K, the standard electrode potentials of Cu²⁺/Cu, Zn²⁺/Zn, Fe²⁺/Fe and Ag +/Ag are 0.34 V, -0.76 V, -0.44 V and 0.80 V, respectively.

On the basis of standard electrode potential, predict which of the following reaction can not occur?

- (1) $CuSO_4(aq) + Zn(s) \rightarrow ZnSO_4(aq) + Cu(s)$
- (2) $CuSO_4(aq) + Fe(s) \rightarrow FeSO_4(aq) + Cu(s)$
- (3) $FeSO_4(aq) + Zn(s) \rightarrow ZnSO_4(aq) + Fe(s)$
- (4) $2CuSO_4(aq) + 2Ag(s) \rightarrow 2Cu(s) + Ag_2SO_4(aq)$

Identify the incorrect statement from the following.

- All the five 5d orbitals are different in size when compared to the respective 4d orbitals.
- (2) All the five 4d orbitals have shapes similar to the respective 3d orbitals.
- a(3) In an atom, all the five 3d orbitals are equal in energy in free state.
- (4) The shapes of d_{xy}, d_{yx}, and d_{xx} orbitals are similar to each other; and d_x2 - y² and d_x2 are similar to each other.

 In one molal solution that contains 0.5 mole of a solute, there is

- (1) 500 mL of solvent
- (2) 500 g of solvent
- (3) 100 mL of solvent
- (4) 1000 g of solvent



Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A): ICI is more reactive than Is.

Reason (R): I-Cl bond is weaker than I-I bond.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A).
 - Both (A) and (R) are correct but (R) is not the correct explanation of (A).
 - (3) (A) is correct but (R) is not correct.
 - (4) (A) is not correct but (R) is correct.
- 76. Which compound amongst the following is not an aromatic compound?









77. Given below are two statements:

Statement 1:

The boiling points of the following hydrides of group

16 elements increases in the order -

Statement II:

The boiling points of these hydrides increase with increase in molar mass.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct
- 8 (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

78. Match List - I with List - II.


List - I List - II

(a) Li (i) absorbent for carbon dioxide

- (b) Na (ii) electrochemical cells
- (c) KOH (iii) coolant in fast breeder reactors
- (d) Cs (iv) photoelectric cell

Choose the correct answer from the options given below:

- (1) (a) (iv), (b) (i), (c) (iii), (d) (ii)
- (2) (a) (iii), (b) (iv), (c) (ii), (d) (i)
- (3) (a) (i), (b) (iii), (c) (iv), (d) (ii)
- (4) (a) (ii), (b) (iii), (c) (i), (d) (iv)
- Which of the following sequence of reactions is suitable to synthesize chlorobenzene?
 - (1) Benzene, Cl2, anhydrous FeCl3
 - (2) Phenol, NaNO₂, HCl, CuCl



80. Given below are two statements:

Statement I:

The boiling points of aldehydes and ketones are higher than hydrocarbons of comparable molecular masses because of weak molecular association in aldehydes and ketones due to dipole - dipole interactions.

Statement II:

The boiling points of aldehydes and ketones are lower than the alcohols of similar molecular masses due to the absence of H-bonding.

- → (1) Both Statement I and Statement II are correct.
 - (2) Both Statement I and Statement II are incorrect.
 - (3) Statement I is correct but Statement II is incorrect.
 - Statement I is incorrect but Statement II is correct.

51. Match List - I with List - II.

List-I List - II (Products formed) (Reaction of carbonyl

compound with)

- Cyanohydrin. (a) (ii) NH₂OH
- (b) Acetal (ii) RNH. (c) Schiff's base (111) alcohol
- (d) HCN (10)

Choose the correct answer from the options given below:

- (1) (a) - (iii), (b) - (iv), (c) - (ii), (d) - (i)
- (2)(a) - (ii), (b) - (iii), (c) - (iv), (d) - (i)
- (3)(a) - (i), (b) - (iii), (c) - (ii), (d) - (iv)
- ·(4) (a) - (iv), (b) - (iii), (c) - (ii), (d) - (i)

82. The incorrect statement regarding chirality is:

- (1)S_N1 reaction yields 1:1 mixture of both enantiomers.
- a(2) The product obtained by S_N2 reaction of haloalkane having chirality at the reactive site shows inversion of configuration.
 - (3)Enantiomers are superimposable mirror images on each other.
- A racemic mixture shows zero optical (4)rotation.

Match List - I with List - II. 83.

List-1				List - II	
		(Hydrides)		(Nature)	
	(a)	MgH ₂	(i)	Electron precise	
	(b)	GeH ₄	(11)	Electron deficient	
	(c)	B ₂ H ₆	(iiii)	Electron rich	
	(d)	140	(iv)	Ionic	


Choose the correct answer from the options given below:

- (1)(a) - (iv), (b) - (i), (c) - (ii), (d) - (iii)
- (a) (iii), (b) (i), (c) (ii), (d) (iv)
- (3) (a) - (i), (b) - (ii), (c) - (iv), (d) - (iii)
- (a) (ii), (b) (iii), (c) (iv), (d) (i)

Which of the following statement is not correct about diborane?

- There are two 3-centre-2-electron bonds. (1)
- The four terminal B-H bonds are two centre (2)two electron bonds.
- The four terminal Hydrogen atoms and the (3)two Boron atoms lie in one plane.
- Both the Boron atoms are sp2 hybridised. (4)

The given graph is a representation of kinetics of a 85. reaction.



The y and x axes for zero and first order reactions. respectively are

- zero order (y = concentration and x = time). (1) first order $(y = t_{xy} \text{ and } x = \text{concentration})$
- (2)zero order (y = concentration and x = time). first order (y rate constant and x = concentration)
- e (3) zero order (y = rate and x = concentration). first order ($y = t_{xy}$ and x = concentration)
 - zero order (y = rate and x = concentration), first order $(y = \text{rate and } x = t_{i})$

Section - B (Chemistry)

Match List - I with List - II. 86.

	List - I		List - II
	(Ores)		(Composition)
1	Haematite :	(6)	Fo.C).

- (a) (b) Magnetite (ii) ZnCO.
- (c) Calamine (iii) Fe₂O₁
- (d) Kaolinite (iv) $[Al_2(OH)_4Si_2O_5]$

Choose the correct answer from the options given below:

- (1)(a) - (i), (b) - (ii), (c) - (iii), (d) - (iv)
- (2) (a) - (iii), (b) - (i), (c) - (ii), (d) - (iv)
- (3)(a) - (iii), (b) - (i), (c) - (iv), (d) - (ii)
- (4) (a) - (i), (b) - (iii), (c) - (ii), (d) - (iv)
- 87. A 10.0 L flask contains 64 g of oxygen at 27°C. (Assume O2 gas is behaving ideally). The pressure inside the flask in bar is CH 2
 - (Given $R = 0.0831 \text{ L bar } K^{-1} \text{ mol}^{-1}$)
 - 2.5 (1) (2)498.6
 - 9(3) 49.8
 - (4)4.9
 - 88. For a first order reaction A → Products, initial concentration of A is 0.1 M, which becomes 0.001 M after 5 minutes. Rate constant for the reaction in
 - 1.3818 (1)
 - (2)0.9212

min-1 is

- 0.4606 $(8)_{i}$
- 0.2303 (4)



93,

- gg. The order of energy absorbed which is responsible for the color of complexes
 - (A) [Ni(H₂O)₂(en)₂]²⁺
 - (B) [Ni(H2O)4(en)]2+ and
 - (C) [Ni(en)₃]²⁺

in

- (1) (A) > (B) > (C)
- (2) (C) ≥ (B) ≥ (A)
- (3) (C)>(A)>(B)
- (4) (B) ≥ (A) ≥ (C)
- 90. 3O₂(g) ≈ 2O₃(g)


for the above reaction at 298 K, K_c is found to be 3.0×10^{-39} . If the concentration of O_2 at equilibrium is 0.040 M then concentration of O_3 in M is

- (1) 4.38×10^{-32}
- (2) 1.9×10⁻⁶³
- (3) 2.4×10^{31}
- (4) 1.2×10^{21}
- Find the emf of the cell in which the following reaction takes place at 298 K

 $Ni(s) + 2 Ag^{+} (0.001 M) \rightarrow Ni^{2+} (0.001 M) + 2 Ag(s)$

(Given that $E_{cell}^* = 10.5 \text{ V}$, $\frac{2.303 \text{ RT}}{F} = 0.059 \text{ at}$

- 298 K)
- (1) 1.0385 V
- (2) 1.385 V
- (3) 0.9615 V
- (4) 1.05 V
- Which one of the following is not formed when acetone reacts with 2-pentanone in the presence of dilute NaOH followed by heating?



The correct IUPAC name of the following compound is:

- (1) 1-bromo-5-chloro-4-methylhexan-3-ol
- (2) 6-bromo-2-chloro-4-methylhexan-4-ol
- (3) 1-bromo-4-methyl-5-chlorohexan-3-ol
- (4) 6-bromo-4-methyl-2-chlorohexan-1-ol
- 94. If radius of second Bohr orbit of the Fle† ion is 105.8 pm, what is the radius of third Bohr orbit of Li²* ion?
 - (1) 158.7 pm
 - (2) 15.87 pm
 - (3) 1.587 pm
 - (4) 158.7 Å
- Compound X on reaction with O₃ followed by Zn/ H₂O gives formaldehyde and 2-methyl propanal as products. The compound X is:
 - (1) 3-Methylbut-1-ene
 - (2) 2-Methylbut-1-ene
 - (3) 2-Methylbut-2-ene
 - (4) Pent-2-ene
- In the neutral or faintly alkaline medium, KMnO₄ oxidises iodide into iodate. The change in oxidation state of manganese in this reaction is from
 - + (1) +7 to +4
 - (2) +6 to +4
 - (3) +7 to +3
 - (4) +6 to +5
- The pollution due to oxides of sulphur gets enhanced due to the presence of:
 - (a) particulate matter
 - (b) ozone
 - (c) hydrocarbons
 - (d) hydrogen peroxide

Choose the most appropriate answer from the options given below:

- (1) (a), (d) only
- (2) (a), (b), (d) only
- (3) (b), (c), (d) only
- (4) (a), (c), (d) only

- C- C-C

98. Given below are two statements:

Statement 1:

In Lucas test, primary, secondary and tertiary alcohols are distinguished on the basis of their reactivity with conc. HCl + ZnCl₂, known as Lucas Reagent.

Statement II:

Primary alcohols are most reactive and immediately produce turbidity at room temperature on reaction with Lucas Reagent.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement Land Statement II are correct.
- Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
 - Statement I is incorrect but Statement II is correct.
- Copper crystallises in fcc unit cell with cell edge length of 3.608 × 10⁻⁸ cm. The density of copper is 8.92 g cm⁻³. Calculate the atomic mass of copper.
 - (1) 63.1 u
 - (2) 31.55 u
 - (3) 60 u

a (4)

- (4) 65 u
- The product formed from the following reaction sequence is

Section - A (Biology : Botany)

 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):

Polymerase chain reaction is used in DNA amplification

Reason (R):

The ampicillin resistant gene is used as a selectable marker to check transformation

- Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
 - (3) (A) is correct but (R) is not correct
 - (4) (A) is not correct but (R) is correct
- 102. The process of translation of mRNA to proteins begins as soon as:
 - e(1) The small subunit of ribosome encounters mRNA
 - (2) The larger subunit of ribosome encounters mRNA
 - Both the subunits join together to bind with mRNA
 - (4) The tRNA is activated and the larger subunit of ribosome encounters mRNA
- 103. The gaseous plant growth regulator is used in plants to:
 - · (1) speed up the malting process
 - promote root growth and roothair formation to increase the absorption surface
 - (3) help overcome apical dominance
 - (4) kill dicotyledonous weeds in the fields
- 104. Exoskeleton of arthropods is composed of:
 - (1) Cutin
 - (2) Cellulose v
 - (3) Chitin ×
 - (4) Glucosamine
- 105. Which of the following is not observed during apoplastic pathway?
 - (1) Movement of water occurs through intercellular spaces and wall of the cells.
 - (2) The movement does not involve crossing of cell membrane
 - The movement is aided by cytoplasmic streaming
 - (4) Apoplast is continuous and does not provide any barrier to water movement.

				1	5 Q6		
06.	cons	servation?		is not a method of ex situ	 Habitat loss and fragmentation, over exploitation, alien species invasion and co-extinction are causes 		
	(1)	In vitro fert		n x-	for:		
	(2)	National Pa	arks	×	(1) - Population explosion (2) - Competition		
	(3)	Microprop	agation	1	(3) Biodiversity loss		
	(4)	Cryopreser	vation	×	(4) Natality		
07,	, Match List - I with List - II. List - I List - II			112. The device which can remove particulate matter present in the exhaust from a thermal power plant			
	100000000000000000000000000000000000000	B. J. S. O. Physical Process	414		19		
	(a)	Manganese	(1)	Activates the enzyme catalase	(1) STP (2) Incinerator		
	(b)	Magnesium	(ii)	Required for pollen germination	(3) Electrostatic Precipitator (4) Catalytic Convertor		
	(c)	Boron	(iii)	Activates enzymes of respiration	113. Which one of the following plants does not show		
	(d)	Iron	(iv)	Functions in splitting of water during photosynthesis	plasticity ? (1) Cotton (2) Coriander (3) Buttercup		
	Cho		t ansv	ver from the options given	,(4) Maize		
	-(1)		- (iv),	(c) - (i), (d) - (ii)	114. Which one of the following statements cannot be		
	(2) (a) - (iv), (b) - (iii), (c) - (ii), (d) - (i)				connected to Predation ? (1) If helps in maintaining species diversity in a		
	(3)	1.1000000000000000000000000000000000000) - (ii), (d) - (iii)	(1) It helps in maintaining species diversity in a community		
	(4)	100 100 100 100 100 100 100 100 100 100) - (ii), (d) - (iv)	(2) It might lead to extinction of a species		
08.				ving statement is not true	(3) Both the interacting species are negatively impacted		
	rega	rding gel elec	tropho	resis technique?	(4) It is necessitated by nature to maintain the		
	(1)	The process	s of ext	raction of separated DNA s called elution.	ecological balance		
	(2)	The separat	ed DN	A fragments are stained by	115. What amount of energy is released from glucose during lactic acid fermentation?		
	(7)	The present	on of ch	romogenic substrate gives	(1) Approximately 15%		
	- (3)	blue colour	ed DN	A bands on the gel.	(2) More than 18% (3) About 10%		
	145	Bright oran	an colo	ured bands of DNA can be	The second secon		
	(4)	observed in	the ge	when exposed to UV light.	M		
					116. Given below are two statements:		
)9,	relea	use of energy miosmosis? It	durin		Statement I: Mendel studied seven pairs of contrasting traits in pea plants and proposed the Laws of Inheritance Statement II:		
	(1) Breakdown of proton gradient				Seven characters examined by Mendel in his		
	(2)	(2). Breakdown of electron gradient			experiment on pea plants were seed shape and colour, flower colour, pod shape and colour, flower position and stem height		
	(3) Movement of protons across the membrane to the stroma (4) Reduction of NADP to NADPH ₂ on the stroma side of the membrane			tons across the membrane			
				ADP to NADPH ₂ on the membrane	In the light of the above statements, choose the correct answer from the options given below:		
ío. DN		NA polymorphism forms the basis of :			그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그		
	(1)	Genetic ma			(2) Both Statement I and Statement II are incorrect		
	(2)	DNA finger		ng	(3) Statement I is correct but Statement II is		
	d'and		-		3		

incorrect

correct

(4)

Statement I is incorrect but Statement II is

Both genetic mapping and DNA finger printing

(3)

Translation

- 117. Given below are two statements:

Statement 1:

Decomposition is a process in which the detritus is degraded into simpler substances by microbes.

and chitin

Statement II: Decomposition is faster if the detritus is rich in lignin

In the light of the above statements, choose the correct

- answer from the options given below: Both Statement I and Statement II are correct (1)
- (2) Both Statement I and Statement II are incorrect
- . (3) Statement I is correct but Statement II is incorrect
 - Statement I is incorrect but Statement II is (4) correct
- 118. Read the following statements and choose the set of correct statements :
 - * (a) Euchromatin is loosely packed chromatin (b) Heterochromatin is transcriptionally active
 - Histone octomer is wrapped by negatively + (c) charged DNA in nucleosome
 - #(d) Histones are rich in lysine and arginine. (e)
 - A typical nucleosome contains 400 bp of DNA helix Choose the correct answer from the options given

- (1) (b), (d), (e) Only
- · (2) (a), (c), (d) Only
- (3)(b), (e) Only
- (4) (a), (c), (e) Only
- Which one of the following plants shows vexillary aestivation and diadelphous stamens?
 - (1)Colchicum autumnale
 - .(2) Pisum sativum
 - (3)Allium cepa (4) Solanum nigrum
 - In old trees the greater part of secondary xylem is
 - dark brown and resistant to insect attack due to: secretion of secondary metabolities and their * (a)
 - deposition in the lumen of vessels. deposition of organic compounds like tannins
 - and resins in the central layers of stem. deposition of suberin and aromatic (c)
 - substances in the outer layer of stem. (d) deposition of tannins, gum, resin and aromatic
 - substances in the peripheral layers of stem. presence of parenchyma cells, functionally active xylem elements and essential oils.

Choose the correct answer from the options given below:

- 4 (1) (a) and (b) Only
 - (2)(c) and (d) Only
- (3)(d) and (e) Only
- (4)(b) and (d) Only

- Read the following statements about the vascular 121. bundles
 - In roots, xylem and phloem in a vascular . (a) bundle are arranged in an alternate manner along the different radii.
 - Conjoint closed vascular bundles do not . (b) possess cambium
 - In open vascular bundles, cambium is present + (c) in between xylem and phloem
 - The vascular bundles of dicotyledonous stem +(d) possess endarch protoxylem
 - more than six xylem bundles present. Choose the correct answer from the options given below:

In monocotyledonous root, usually there are

(1) (a), (b) and (d) Only (2)(b), (c), (d) and (e) Only

(e)

- . (3) (a), (b), (c) and (d) Only
- (4) (a), (c), (d) and (e) Only
- 122. Which one of the following never occurs during mitotic cell division?
 - (1) Spindle fibres attach to kinetochores of chromosomes (2)Movement of centrioles towards opposite
 - poles + (3)
 - Pairing of homologous chromosomes
 - (4)Coiling and condensation of the chromatids 123. Production of Cucumber has increased manifold in
 - recent years. Application of which of the following phytohormones has resulted in this increased yield as the hormone is known to produce female flowers in the plants:
 - ABA (1)
 - (2)Gibberellin
 - (3)Ethylene *
 - »(4) Cytokinin
 - 124. The flowers are Zygomorphic in:
 - (a) Mustard
 - (b) Gulmohar . (c) Cassia
 - -(d) Datura
 - (e) Chilly

 - Choose the correct answer from the options given below:
 - (1) (a), (b), (c) Only
 - (2)(b), (c) Only
 - (3)(d), (e) Only
 - · (4) (c), (d), (e) Only +

- 125. Identify the correct set of statements:
 - (a) The leaflets are modified into pointed hard thorns in Citrus and Bougainvillea
 - (b) Axillary buds form slender and spirally coiled tendrils in cucumber and pumpkin
 - (c) Stem is flattened and fleshy in Opuntia and modified to perform the function of leaves
 - (d) Rhizophora shows vertically upward growing roots that help to get oxygen for respiration
 - (e) Subaerially growing stems in grasses and strawberry help in vegetative propagation

Choose the correct answer from the options given below:

- (1) (b) and (c) Only
- (2) (a) and (d) Only
- .(3) (b), (c), (d) and (e) Only
- (4) (a), (b), (d) and (e) Only
- 126. Which of the following is incorrectly matched?
 - (1) Ectocarpus Fucoxanthin
 - (2) Ulothrix Mannitol
 - (3) Porphyra Floridian Starch
 - (4) Volvox Starch
- 127. Which one of the following produces nitrogen fixing nodules on the roots of Alnus?
 - (1) Rhizobium
 - (2) Frankia
 - (3) Rhodospirillum
 - (4) Beijernickia
- 128. Identify the incorrect statement related to Pollination:
 - (1) Pollination by water is quite rare in flowering plants
 - Pollination by wind is more common amongst abiotic pollination
 - (3) Flowers produce foul odours to attract flies and beetles to get pollinated
 - (4) Moths and butterflies are the most dominant pollinating agents among insects
- 129. Given below are two statements:

Statement I:

Cleistogamous flowers are invariably autogamous Statement II:

Cleistogamy is disadvantageous as there is no chance for cross pollination

In the light of the above statements, choose the correct answer from the options given below:

- · (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

- 130. Hydrocolloid carrageen is obtained from
 - (1) Chlorophyceae and Phaeophyceae
 - (2) Phaeophyceae and Rhodophyceae
 - (3) Rhodophyceae only
 - Phaeophyceae only
- 131l What is the net gain of ATP when each molecule of glucose is converted to two molecules of pyruvic acid?
 - (1) Four
 - (2) Six
 - •(3) Two
 - (4) Eight
- 132. The appearance of recombination nodules on homologous chromosomes during meiosis characterizes:
 - .(1) Synaptonemal complex
 - (2) Bivalent.
 - (3) Sites at which crossing over occurs
 - (4) Terminalization
- 133. Given below are two statements:

Statement I:

The primary CO₂ acceptor in C₄ plants is phosphoenolpyruvate and is found in the mesophyll cells.

Statement II:

Mesophyll cells of C₄ plants lack RuBisCo enzyme.

- . (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct
- 134. "Girdling Experiment" was performed by Plant Physiologists to identify the plant tissue through which:
 - (1) water is transported
 - (2) food is transported
 - (3) for both water and food transportation
 - (4) osmosis is observed

- 18
- 135. XO type of sex determination can be found in:
 - (1) Drosophila
 - (2) Birds
 - + (3) Grasshoppers
 - (4) Monkeys

Section - B (Biology : Botany)

- 136. Addition of more solutes in a given solution will:
 - (1) raise its water potential
 - (2) lower its water potential
 - (3) make its water potential zero
 - (4) not affect the water potential at all
- 137. If a geneticist uses the blind approach for sequencing the whole genome of an organism, followed by assignment of function to different segments, the methodology adopted by him is called as:
 - (1) Sequence annotation
 - (2) Gene mapping -
 - (3) Expressed sequence tags
 - (4) Bioinformatics
- 138. Which of the following occurs due to the presence of autosome linked dominant trait?
 - · (1) Sickle cell anaemia
 - (2) Myotonic dystrophy
 - (3) Haemophilia
 - (4) Thalessemia
- Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):

Mendel's law of Independent assortment does not hold good for the genes that are located closely on the same chromosome.

Reason (R):

Closely located genes assort independently.

In the light of the above statements, choose the correct answer from the options given below:

- Both (A) and (R) are correct and (R) is the correct explanation of (A)
- Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- + (3) (A) is correct but (R) is not correct
 - (4) (A) is not correct but (R) is correct

140. Which part of the fruit, labelled in the given figure makes it a false fruit?



- A → Mesocarp
- (2) B → Endocarp
- (3) C → Thalamus
- (4) D → Seed
- 141. Read the following statements on lipids and find out correct set of statements:
 - (a) Lecithin found in the plasma membrane is a glycolipid
 - Saturated fatty acids possess one or more c
 c bonds
 - (c) Gingely oil has lower melting point, hence remains as oil in winter
 - Lipids are generally insoluble in water but soluble in some organic solvents
 - (e) When fatty acid is esterified with glycerol, monoglycerides are formed

Choose the correct answer from the options given below:

- (1) (a), (b) and (c) only
- (2) (a), (d) and (e) only
- (3) (c), (d) and (e) only
- (4) (a), (b) and (d) only
- 142. Transposons can be used during which one of the following?
 - (1) Polymerase Chain Reaction -
 - (2) Gene silencing
 - (3) Autoradiography
 - (4) Gene sequencing
- 143. While explaining interspecific interaction of population, (+) sign is assigned for beneficial interaction, (-) sign is assigned for detrimental interaction and (0) for neutral interaction. Which of the following interactions can be assigned (+) for one species and (-) for another species involved in the interaction?
 - (1) Predation
 - (2) Amensalism
 - (3) Commensalism
 - (4) Competition



- 144. In the following palindromic base sequences of DNA, which one can be cut easily by particular restriction enzyme?
 - (I) 5'GATACT3'; 3'CTATGA5'
 - , (2) 5' GAATTC3'; 3' CTTAAG5'
 - (3) 5'CTCAGT3'; 3'GAGTCA5'
 - (4) 5'GTATTC3'; 3'CATAAG5'
- 145. Which one of the following will accelerate phosphorus cycle?
 - . (1) Burning of fossil fuels
 - (2) Volcanic activity
 - (3) Weathering of rocks
 - (4) Rain fall and storms
- 146. The entire fleet of buses in Delhi were converted to CNG from diesel. In reference to this, which one of the following statements is false?
 - CNG burns more efficiently than diesel
 - (2) The same diesel engine is used in CNG buses making the cost of conversion low
 - (3) It is cheaper than diesel
 - (4) It can not be adulterated like diesel
- 147. Match the plant with the kind of life cycle it exhibits:

List - I

List-II

- (a) Spirogyra (i) Dominant diploid sporophyte vascular plant, with highly reduced male or female gametophyte
- (b) Fern (ii) Dominant haploid free-living gametophyte
- (c) Funaria (iii) Dominant diploid sporophyte alternating with reduced gametophyte called prothallus
- (d) Cycas (iv) Dominant haploid leafy gametophyte alternating with partially dependent multicellular sporophyte

Choose the correct answer from the options given below:

- (1) (a) (iv), (b) (i), (c) (ii), (d) (iii)
- (2) (a) (ii), (b) (iii), (c) (iv), (d) (i)
- (3) (a) (iii), (b) (iv), (c) (i), (d) (ii)
- (4) (a) (ii), (b) (iv), (c) (i), (d) (iii)

148. Match List - I with List - II.

Lint - I

List - II

- (a) Metacentric (i) chromosome
- Centromere situated close to the end forming one extremely short and one very long arms
- (b) Acrocentric chromosome
- (ii) Centromere at the terminal end
- (c) Submetacentric
- (iii) Centromere in the middle forming two equal arms of chromosomes
- (d) Telocentric chromosome
- (iv) Centromere slightly away from the middle forming one shorter arm and one longer arm

Choose the correct answer from the options given below:

- (1) (a) (iii), (b) (i), (c) (iv), (d) (ii)
 - (2) (a) (i), (b) (iii), (c) (ii), (d) (iv)
 - (3) (a) (ii), (b) (iii), (c) (iv), (d) (i)
 - (4) (a) (i), (b) (ii), (c) (iii), (d) (iv)
- 149. The anatomy of springwood shows some peculiar features. Identify the correct set of statements about springwood.
 - (a) It is also called as the earlywood
 - In spring season cambium produces xylem elements with narrow vessels
 - (c) It is lighter in colour
 - (d) The springwood along with autumnwood shows alternate concentric rings forming annual rings
 - (e) It has lower density

Choose the correct answer from the options given below:

- (1) (a), (b), (d) and (e) Only
- e (2) (a), (c), (d) and (e) Only
 - (3) (a), (b) and (d) Only
 - (4) (c), (d) and (e) Only
- 150. What is the role of large bundle shealth cells found around the vascular bundles in C₄ plants?
 - (1) To provide the site for photorespiratory pathway
 - To increase the number of chloroplast for the operation of Calvin cycle
 - (3) To enable the plant to tolerate high temperature
 - (4) To protect the vascular tissue from high light intensity

Section - A (Biology : Zoology)

151. Given below are two statements:

Statement 1:

Fatty acids and glycerols cannot be absorbed into the blood.

Statement II:

Specialized lymphatic capillaries called lacteals carry chylomicrons into lymphatic vessels and ultimately into the blood.

In the light of the above statements, choose the most appropriate answer from the options given below:

- +(1) Both Statement Land Statement II are correct
 - (2) Both Statement I and Statement II are incorrect
 - (3) Statement I is correct but Statement II is incorrect
 - (4) Statement I is incorrect but Statement II is correct

152. Given below are two statements:

Statement I:

The release of sperms into the seminiferous tubules is called spermiation.

Statement II:

Spermiogenesis is the process of formation of sperms from spermatogonia.

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
 - (4) Statement I is incorrect but Statement II is correct
- 153. Which of the following is not the function of conducting part of respiratory system?
 - (1) It clears inhaled air from foreign particles
 - (2) Inhaled air is humidified
 - Temperature of inhaled air is brought to body temperature
 - *(4) Provides surface for diffusion of O2 and CO2
- Identify the microorganism which is responsible for the production of an immunosuppressive molecule cyclosporin A:
 - (1) Trichoderma polysporum
 - (2) Clostridium butylicum
 - (3) Aspergillus niger
 - (4) Streptococcus cerevisiae

- Under normal physiological conditions in human being every 100 ml of oxygenated blood can deliver ml of O₂ to the tissues.
 - (1) 2 ml
 - (2) 5 ml
 - +(3). 4 ml
 - (4) 10 ml
- 156. Tegmina in cockroach, arises from:
 - (1) Prothorax
 - (2) Mesotherax
 - √(3) Metathorax
 - (4) Prothorax and Mesotherax
- 157. In-situ conservation refers to:
 - (1) Protect and conserve the whole ecosystem
 - (2) Conserve only high risk species
 - (3) Conserve only endangered species
 - (4) Conserve only extinct species
- 158. Detritivores breakdown detritus into smaller particles. This process is called:
 - (1) Catabolism
 - (2) Fragmentation
 - (3) Humification
 - + (4) Decomposition
- 159. A dehydration reaction links two glucose molecules to produce maltose. If the formula for glucose is C₆H₁₂O₆ then what is the formula for maltose?
 - (1) C₁₂H₂₀O₁₀
 - (2) C₁₂H₂₄O₁₂
 - (3) C₁₂H₂₂O₁₁
 - (4) C₁₂H₂₄O₁₁
- 160. Identify the asexual reproductive structure associated with Penicillium:
 - Zoospores
 - (2) Conidia
 - (3) Gemmules
 - (4) Buds
- Select the incorrect statement with reference to mitosis;
 - All the chromosomes lie at the equator at metaphase.
 - # (2) Spindle fibres attach to centromere of chromosomes.
 - (3) Chromosomes decondense at telophase.
 - (4) Splitting of centromere occurs at anaphase.

- Which of the following statements with respect to Endoplasmic Reticulum is incorrect?
 - (1) RER has ribosomes attached to ER
 - (2) SER is devoid of ribosomes
 - (3) In prokaryotes only RER are present
 - (4) SER are the sites for lipid synthesis
 - In the taxonomic categories which hierarchial arrangement in ascending order is correct in case of animals?
 - Kingdom, Phylum, Class, Order, Family, Genus, Species
 - (2) Kingdom, Class, Phylum, Family, Order, Genus, Species
 - Kingdom, Order, Class, Phylum, Family, Genus, Species
 - (4) Kingdom, Order, Phylum, Class, Family, Genus, Species
 - In which of the following animals, digestive tract has additional chambers like crop and gizzard?
 - (1) Corvus, Columba, Chameleon
 - (2) Bufo, Balaenoptera, Bangarus
 - (3) Catla, Columba, Crocodilus
 - (4) Pavo, Psittacula, Corvus
 - Given below are two statements:

Statement I:

Mycoplasma can pass through less than I micron filter size.

Statement II:

Mycoplasma are bacteria with cell wall

In the light of the above statements, choose the most
appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct
- Which of the following is not a connective tissue?
- (1) Blood
- (2) Adipose tissue
- (3) Cartilage
- *(4) Neuroglia

- Nitrogenous waste is excreted in the form of pellet or paste by :
 - , (1) Ornithorhynchus
 - (2) Salamandra
 - (3) Hippocampus
 - (4) Pavo
- 168. Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):

All vertebrates are chordates but all chordates are not vertebrates.

Reason (R):

Notochord is replaced by vertebral column in the adult vertebrates.

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
 - Both (A) and (R) are correct but (R) is not the correct explanation of (A)
 - (3) (A) is correct but (R) is not correct
 - (4) (A) is not correct but (R) is correct
- 169. Which of the following is a correct match for disease and its symptoms?
 - (1) Arthritis Inflammed joints
 - (2) Tetany high Ca²⁺ level causing rapid spasms.
 - (3) Myasthenia gravis Genetic disorder resulting in weakening and paralysis of skeletal muscle
 - (4) Muscular dystrophy An auto immune disorder causing progressive degeneration of skeletal muscle

 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):

Osteoporosis is characterised by decreased bone mass and increased chances of fractures.

Reason (R):

Common cause of osteoporosis is increased levels of estrogen.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (I) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct
- 171. In an E.coli strain i gene gets mutated and its product can not bind the inducer molecule. If growth medium is provided with lactose, what will be the outcome?
 - (1) Only a gene will get transcribed
 - (2) z, y, a genes will be transcribed
 - (3) z, y, a genes will not be translated
 - (4) RNA polymerase will bind the promoter region
- 172. If the length of a DNA molecule is 1.1 metros, what will be the approximate number of base pairs?
 - ' (1) 3.3×109 bp
 - (2) 6.6 × 10⁹ bp
 - (3) 3.3×106 bp
 - (4) 6.6 × 10⁶ bp
- 173. Which of the following statements are true for spermatogenesis but do not hold true for Oogenesis?
 - (a) It results in the formation of haploid gametes
 - (b) Differentiation of gamete occurs after the completion of meiosis
 - (c) Meiosis occurs continuously in a mitotically dividing stem cell population
 - (d) It is controlled by the Luteinising hormone (LH) and Follicle Stimulating Hormone (FSH) secreted by the anterior pituitary
 - (e) It is initiated at puberty

Choose the most appropriate answer from the options given below:

- (1) (c) and (e) only
- (2) (b) and (c) only =
- (3) (b), (d) and (e) only
- (4) (b), (c) and (e) only

- 174. Which of the following is present between the adjacent bones of the vertebral column?
 - (1) Intercalated discs
 - 1 (2) Cartilage
 - (3) Areolar tissue
 - (4) Smooth muscle
 - 175. Regarding Meiosis, which of the statements is incorrect?
 - (I) There are two stages in Meiosis, Meiosis-1 and II
 - (2) DNA replication occurs in S phase of Meiosis-II
 - (3) Pairing of homologous chromosomes and recombination occurs in Meiosis-I
 - (4) Four haploid cells are formed at the end of Meiosis-II
 - 176. Given below are two statements:

Statement 1:

Autoimmune disorder is a condition where body defense mechanism recognizes its own cells as foreign bodies.

Statement II:

Rheumatoid arthritis is a condition where body does not attack self cells.

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
 - (4) Statement I is incorrect but Statement II is correct
- Natural selection where more individuals acquire specific character value other than the mean character value, leads to:
 - (1) Stabilising change
 - (2) Directional change
 - (3) Disruptive change
 - (4) Random change

Given below are two statements:

Statement 1:

178.

The coagulum is formed of network of threads called thrombins.

Statement II

spleen is the graveyard of erythrocytes.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct
- 179. Breeding crops with higher levels of vitamins and minerals or higher proteins and healthier fats is called:
 - Bio-magnification
 - (2) Bio-remediation
 - (3) Bio-fortifications
 - (4) Bio-accumulation
- In gene therapy of Adenosine Deaminase (ADA) deficiency, the patient requires periodic infusion of genetically engineered lymphocytes because
 - Retroviral vector is introduced into these lymphocytes.
 - (2) Gene isolated from marrow cells producing ADA is introduced into cells at embryonic stages
 - Lymphocytes from patient's blood are grown in culture, outside the body.
 - Genetically engineered lymphocytes are not immortal cells.
 - 181. At which stage of life the oogenesis process is initiated?
 - (I) Puberty
 - (2) Embryonic development stage
 - (3) Birth
 - (4) Adult
 - 182. Lippe's loop is a type of contraceptive used as :
 - (l) Cervical barrier
 - (2) Vault barrier
 - (3) Non-Medicated IUD
 - (4) Copper releasing IUD

- 183. Which of the following functions is not performed by secretions from salivary glands?
 - (1) Control bacterial population in mouth
 - (2) Digestion of complex carbohydrates
 - (3) Lubrication of oral cavity
 - (4) Digestion of disaccharides
- 184. If '8' Dresephila in a laboratory population of '80' died during a week, the death rate in the population in individuals per Dresephila per week.
 - (1) 0.1
 - (2) 10
 - (3) 1.0
 - (4) zero
- 185. Given below are two statements:

Statement I:

Restriction endonucleases recognise specific sequence to cut DNA known as palindromic nucleotide sequence.

Statement II:

Restriction endonucleases cut the DNA strand a little away from the centre of the palindromic site.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement Land Statement II are correct
 - (2) Both Statement I and Statement II are incorrect
 - (3) Statement I is correct but Statement II is incorrect
 - (4) Statement I is incorrect but Statement II is correct

Section - B (Biology : Zoology)

- 186. Which of the following is a correct statement?
 - Cyanobacteria are a group of autotrophic organisms classified under Kingdom Monera.
 - Bacteria are exclusively heterotrophic organisms.
 - Slime moulds are saprophytic organisms classified under Kingdom Monera.
 - Mycoplasma have DNA, Ribosome and cell wall

- Statements related to human Insulin are given below. 06 187.
 - Which statement(s) is/are correct about genetically
 - engineered Insulin? Pro-hormone insulin contain extra stretch of , (a) C-peptide
 - A-peptide and B-peptide chains of insulin were produced separately in E.coli, extracted + (b) and combined by creating disulphide bond between them.
 - Insulin used for treating Diabetes was extracted from Cattles and Pigs. (c)
 - Pro-hormone Insulin needs to be processed for converting into a mature and functional . (d) hormone.
 - Some patients develop allergic reactions to (c) the foreign insulin. Choose the most appropriate answer from the
 - options given below (a), (b) and (d) only v (1)
 - (b) only (2)
 - (c) and (d) only (3)
 - (c), (d) and (e) only (4)
- Given below are two statements: , 188.

Statement 1: In a scrubber the exhaust from the thermal plant is passed through the electric wires to charge the dust particles.

Statement II: Particulate matter (PM 2.5) can not be removed by scrubber but can be removed by an electrostatic precipitator.

In the light of the above statements, choose the most appropriate answer from the options given below Both Statement I and Statement II are correct

- (1)
- Both Statement I and Statement II are (2)incorrect
- Statement I is correct but Statement II is (3) incorrect
- Statement I is incorrect but Statement II is (4)correct
- The recombination frequency between the genes a & c is 5%, b & c is 15%, b & d is 9%, a & b is 20%, c & d is 24% and a & d is 29%. What will be the sequence of these genes on a linear chromosome?
 - (1)a, d, b, c
 - (2)d, b, a, c
 - (3)a, b, c, d
 - . (4) a, c, b, d

- Match List I with List II. List-II 190.
 - (Biological functions) List-I

Glycogen

Globulin

(a)

(b)

- (Biological Molecules) (i)
 - - Biocatalyst (ii) Antibody

Hormone

Storage product

- (iii) (iv)
- Steroids (c) Thrombin Choose the correct answer from the options gives
- below:
- (a) (iii), (b) (ii), (c) (iv), (d) (i) (a) - (iv), (b) - (ii), (c) - (i), (d) - (iii) (1) (2)
- (a) = (ii), (b) (iv), (c) (iii), (d) (i) (a) - (iv), (b) - (iii), (c) - (i), (d) - (ii) (3).(4)
- Match List I with List II with respect to method of Contraception and their respective actions. 191.
 - List-II List-I Inhibit ovulation and Diaphragms
 - Implantation Increase phagocytosis of Contraceptive (ii) sperm within Uterus (b) Pilla
 - (iii) Absence of Menstrual cycle Intra Uterine (c) and ovulation following Devices parturition
 - They cover the cervix Lactational blocking the entry of Amenorrhea sperms

Choose the correct answer from the options give below: (a) - (iv), (b) - (i), (c) - (iii), (d) - (ii)

- (1)
- (a) (iv), (b) (i), (c) (ii), (d) (iii) . (2) (a) - (ii), (b) - (iv), (c) - (i), (d) - (iii) (3)
 - (a) (iii), (b) (ii), (c) (i), (d) (iv) (4)
- Which of the following are not the effects 192. Parathyroid hormone?
 - Stimulates the process of bone resorption * (a) Decreases Ca2+ level in blood (b)
 - 4 (c)
 - Reabsorption of Ca²⁺ by renal tubules
 - Decreases the absorption of Ca2+ from (d) digested food Increases metabolism of carbohydrates
 - Choose the most appropriate answer from the options given below:
 - . (1) (a) and (c) only

4(0)

- (2)(b), (d) and (e) only (3)(a) and (e) only
- (4) (b) and (c) only

- Select the incorrect statement with respect to 493. acquired immunity.
 - Primary response is produced when our body (1)encounters a pathogen for the first time.
 - Anamnestic response is elicited on (2)subsequent encounters with the same pathogen.
 - Anamnestic response is due to memory of first (3)encounter.
 - Acquired immunity is non-specific type of (4) defense present at the time of birth.
- Ten E.coli cells with 15N dsDNA are incubated in 194. medium containing 14N nucleotide. After 60 minutes, how many E.coli cells will have DNA totally
 - free from 15N ? 20 cells (1)
 - (2)40 cells
 - 60 cells (3)
 - 80 cells (4)
- If a colour blind female marries a man whose mother 195. was also colour blind, what are the chances of her progeny having colour blindness?
 - 25% (1)
 - 50% · (2) 75% (3)
 - 100% (4)
- Which of the following is not a desirable feature of a 196. cloning vector?
 - Presence of origin of replication (1)
 - Presence of a marker gene (2)
 - Presence of single restriction enzyme site ·(3)
 - Presence of two or more recognition sites (4)

Match List - I with List - II. 197.

List - II List-I

- (a) Bronchioles
- Dense Regular Connective Tissue
- (ii) Loose Connective (b) Goblet cell Tissue
- (iii) Glandular Tissue (c) Tendons
- (iv) Ciliated Epithelium (d) Adipose Tissue
- Choose the correct answer from the options given below !
- (a) (iv), (b) (iii), (c) (i), (d) (ii) · (1) (2)
 - (a) (i), (b) (ii), (c) (iii), (d) (iv)
 - (a) (ii), (b) (i), (c) (iv), (d) (iii) (3)
 - (a) (iii), (b) (iv), (c) (ii), (d) (i) (4)

- Which one of the following statements is correct? 198.
 - The atrio-ventricular node (AVN) generates an action potential to stimulate atrial contraction
 - The tricuspid and the bicuspid valves open · (2) due to the pressure exerted by the simultaneous contraction of the atria
 - Blood moves freely from atrium to the ventricle (3)during joint diastole.
 - Increased ventricular pressure causes closing (4)of the semilunar valves
 - Select the incorrect statement regarding synapses : 199.
 - The membranes of presynaptic and postsynaptic neurons are in close proximity in an electrical synapse. Electrical current can flow directly from one
 - (2)neuron into the other across the electrical synapse.
 - Chemical synapses use neurotransmitters (3)
 - Impulse transmission across a chemical (4) synapse is always faster than that across an electrical synapse.
- Which of the following statements is not true? 200.
 - Analogous structures are a result of (1) convergent evolution
 - Sweet potato and potato is an example of (2)
 - Homology indicates common ancestry (3)
 - Flippers of penguins and dolphins are a pair (4) of homologous organs

